

EBA Engineering Consultants Ltd.


Civil, Geotechnical and Materials Engineers

160 leaves

ORIGINAL LOGS WITH STRENGTH DATA

ESSO Resources Canada Ltd.

0306-34413



160 lines

ORIGINAL LOGS WITH STRENGTH DATA

ESSO Resources Canada Ltd.

0306-34413

May, 1988



D003033

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●								
				SPT RESISTANCE ▲								
				10	20	30	40	50	60	70		
				COMP. STRENGTH				T.S.F. ■				
				1	2	3						
	SEA BOTTOM											
2	SILT -grey, trace of organics (m) and clay -some fine sand, -traces of sand and gravel -high clay content		UNFROZEN									
4												
6												
8												
10												
12	END OF HOLE											
14												
16												
18												
20												
22												
24												
26												
28												
30												

ICE THICKNESS (ft.) 6

DATE DRILLED 15/4/74

WATER DEPTH (ft.) 8

TECH NR

COMPLETION DEPTH (ft.) 11½

REGION Garry Island

HOLE No.
113-U-7

PAGE 1 OF 1

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH			T.S.F. ■				
				1	2	3					
	SEA BOTTOM										
2	SILT (m) - dark grey, highly organic - trace of silty fine sand		UNFROZEN								
4											
6	SAND (sm) - dark grey, silty - fine grained, some organic lenses	X			▲						
8											
10	SILT (m) - medium grey, some trace of fine sand										
12	END OF HOLE										
14											
16											
18											
20											
22											
24											
26											
28											
30											

	ICE THICKNESS (ft.)	6	DATE DRILLED	15/4/74	HOLE No.
	WATER DEPTH (ft.)	7½	TECHNICIAN	NR	113-V-4
	COMPLETION DEPTH (ft.)	11	REGION	Garry Island	PAGE 1 OF 1

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						
				SPT RESISTANCE ▲						
				10	20	30	40	50	60	70
				COMP. STRENGTH			T.S.F. ■			
				1	2	3				
	SEA BOTTOM									
2	No Returns									
4										
6	SAND (sm) -dark grey, fine to medium grained sand	X	UNFROZEN							
8	-trace of silt and fine gravel -trace of organics	X								
10										
12	SILT (-s) -some clay, trace of fine sand									
14	END OF HOLE									
16										
18										
20										
22										
24										
26										
28										
30										



ICE THICKNESS (ft.) 6

DATE DRILLED 15/4/74

HOLE No.

WATER DEPTH (ft.) 7½

TECH NR

113-V-5

COMPLETION DEPTH (ft.) 12½

REGION Garry Island

PAGE 1 OF 1

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10 20 30 40 50 60 70									
				COMP. STRENGTH T.S.F. ■									
				1 2 3									
	SEA BOTTOM												
2	No Returns		UNFROZEN										
4	SILT & SAND (m - sm) -medium grey, trace of fine sand grading into medium sand	X											
6		X											
8	SAND (sm) -medium grained -some organic lenses -undifferentiated below 8½'	X											
10		X											
12	END OF HOLE												
14													
16													
18													
20													
22													
24													
26													
28													
30													

	ICE THICKNESS (ft.)	6	DATE DRILLED	15/4/74	HOLE No.
	WATER DEPTH (ft.)	7½	TECH	NR	113 -V - 6
	COMPLETION DEPTH (ft.)	11	REGION	Garry Island	PAGE 1 OF 1

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●											
				SPT RESISTANCE ▲											
				10 20 30 40 50 60 70						COMP. STRENGTH T.S.F. ■					
				1			2			3					
	SEA BOTTOM														
2	No Returns														
4															
6	SAND -very fine, traces of silt (sm)	X	UNFROZEN												
8	-uniform, fine grained -trace of organics	X													
10	SILT -lenses of organics (ml)	X													
12	END OF HOLE														
14															
16															
18															
20															
22															
24															
26															
28															
30															

	ICE THICKNESS (ft.)	6	DATE DRILLED	15/4/74	HOLE No.	
	WATER DEPTH (ft.)	7½	TECH	NR	113-V-7	
	COMPLETION DEPTH (ft.)	9	REGION	Garry Island	PAGE 1 OF 1	

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH			T.S.F. ■				
				1	2	3					
	SEA BOTTOM										
2	No Returns										
4	SILT -medium grey, clayey (m)	X	UNFROZEN								
6	SAND -medium grained to coarse (sm) -traces of silt and clay	X									
8	-sand & silt, undifferentiated below 8'	X									
10											
12	END OF HOLE										
14											
16											
18											
20											
22											
24											
26											
28											
30											



ICE THICKNESS (ft.) 6	DATE DRILLED 15/4/74
WATER DEPTH (ft.) 7½	TECH NR
COMPLETION DEPTH (ft.) 11	REGION Garry Island

HOLE No. 113-V-8	PAGE 1 OF 1
------------------	-------------

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●											
				SPT RESISTANCE ▲											
				10 20 30 40 50 60 70						COMP. STRENGTH T.S.F. ■					
				1			2			3					
	SEA BOTTOM														
2	No Returns	X	UNFROZEN												
4															
6															
8															
10	SAND -5-5½ft. dark grey, fine & SILT -trace of sand, clay -undifferentiated below 6½ (sm - ml)														
12	END OF HOLE														
14															
16															
18															
20															
22															
24															
26															
28															
30															

	ICE THICKNESS (ft.)	6	DATE DRILLED	15/4/74	HOLE No.
	WATER DEPTH (ft.)	8	TECH	NR	113 - V -9
	COMPLETION DEPTH (ft.)	11	REGION	Garry Island	PAGE 1 OF 1

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

GENERAL DATA SHEET				SAMPLING PROGRAM							
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH			T.S.F. ■				
				1			2		3		
SEA BOTTOM											
2	No Returns										
4											
6	SAND & GRAVEL (sm - gm) -poorly graded gravelly sand, dark grey	X	UNFROZEN								
8	-trace of silts										
10	SAND -medium to coarse sand with silt (sm)	X									
12	GRAVEL -8½' - 9½'. fine (gm) grained, trace of silt and organics	X									
14	SILT -dark grey with black organics (m) -undifferentiated below 12'										
16	END OF HOLE										
18											
20											
22											
24											
26											
28											
30											

	ICE THICKNESS (ft.) 6	DATE DRILLED 15/4/74	HOLE No.
	WATER DEPTH (ft.) 8	TECH NR	113-W-3
	COMPLETION DEPTH (ft.) 15	REGION Garry Island	PAGE 1 OF 1



ICE THICKNESS (ft.) 6

DATE DRILLED 15/4/74

HOLE No.

WATER DEPTH (ft.) 8

TECH NR

113-W-3

COMPLETION DEPTH (ft.) 15

REGION Garry Island

PAGE 1 OF 1

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●															
				SPT RESISTANCE ▲							COMP. STRENGTH T.S.F. ■								
				10	20	30	40	50	60	70	1	2	3						
	SEA BOTTOM																		
	No Returns																		
2	SILT -medium grey, some organics (m)																		
4	GRAVEL (gm) -well graded, sandy trace of organics and silt	X	UNFROZEN																
6																			
8	SILT & SAND -undifferentiated below 7½'																		
10	(sm-m) -hole sloughing																		
12	ABANDONED -END OF HOLE																		
14																			
16																			
18																			
20																			
22																			
24																			
26																			
28																			
30																			

	ICE THICKNESS (ft.)	6	DATE DRILLED	15/4/74	HOLE No. 113 - W-4 PAGE 1 OF 1
	WATER DEPTH (ft.)	8	TECH	NR	
	COMPLETION DEPTH (ft.)	11½	REGION	Garry Island	

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

ICE SHEET SEA DRILLING PROGRAM - 1974														
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●										
				SPT RESISTANCE ▲										
				10	20	30	40	50	60	70				
SEA BOTTOM				COMP. STRENGTH			T.S.F. ■							
				1	2	3								
2	SILT (m) -grey -trace of fine gravel and coarse sand @ 4.5		UNFROZEN											
4														
6	GRAVEL & SAND (9m-5m) medium to fine grained -trace of organics and silt -standard penetrometer not accurate since pebbles stuck in end of spoon	X												
8														
10														
12														
14	SILT -medium grey, clayey (m)													
16	END OF HOLE													
18														
20														
22														
24														
26														
28														
30														

	ICE THICKNESS (ft.)	6	DATE DRILLED	15/4/74	HOLE No. 113-W-5
	WATER DEPTH (ft.)	8	TECH	NR	
	COMPLETION DEPTH (ft.)	14+	REGION	Garry Island	
				PAGE 1	OF 1



ICE THICKNESS (ft.) 6

DATE DRILLED 15/4/74

HOLE No.

WATER DEPTH (ft.) 8

TECH NR

113-W-5

COMPLETION DEPTH (ft.) 14+

REGION Garry Island

PAGE 1 OF 1

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

SEA DRILLING PROGRAM 514											
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH T.S.F. ■							
				1	2	3					
SEA BOTTOM											
2	SILT - moist, med.grey, loose to (m) compact		Not Frozen								
4											
6	- clayey, medium plastic										
8											
10	- medium to dark grey, wet, loose, finely bedded										
12											
14											
16	SILT, CLAY (m/c)										
18	- very loose, low plastic										
20											
22											
24											
26											
28											
30											



ICE THICKNESS (ft.)	6	DATE DRILLED	22/3/74	HOLE No.	
WATER DEPTH (ft.)	13½	TECH	J.T.	202	
COMPLETION DEPTH (ft.)	80	REGION	Netserk	PAGE 1 OF 3	

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DESCRIPTIVE SOIL DRILLING PROGRAM				1974						
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						
				SPT RESISTANCE ▲						
				10	20	30	40	50	60	70
				COMP. STRENGTH			T.S.F. ■			
				1	2	3				
SEA BOTTOM										
2	SILT - moist, med. grey, loose to (m) compact		Not Frozen							
4										
6	- clayey, medium plastic									
8										
10	- medium to dark grey, wet, loose, finely bedded									
12										
14										
16	SILT, CLAY (m/c)									
18	- very loose, low plastic									
20										
22										
24										
26										
28										
30										

	ICE THICKNESS (ft.)	6	DATE DRILLED	22/3/74	HOLE No.
	WATER DEPTH (ft.)	13½	TECH	J.T.	
		COMPLETION DEPTH (ft.)	80	REGION	Netserk



ICE THICKNESS (ft.) 6
 WATER DEPTH (ft.) 13½
 COMPLETION DEPTH (ft.) 80

DATE DRILLED 22/3/74
 TECH J.T.
 REGION Netserk

HOLE No. 202
 PAGE 1 OF 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

BEACPORT SEA DRILLING PROGRAM 1977														
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							SPT RESISTANCE ▲			
				10 20 30 40 50 60 70										
				COMP. STRENGTH							T.S.F. ■			
				1 2 3										
30	Continued SILT - as above (m1)		Not Frozen											
32														
34	- wet to saturated, very loose													
36														
38														
40														
42														
44														
46														
48														
50														
52														
54														
56	SAND - , uniform, fine, sat- SILT urated, compact, dark grey													
58														
				ICE THICKNESS (ft.) 6		DATE DRILLED 22/3/74		HOLE No. 202						
				WATER DEPTH (ft.) 13½		TECH J.T.								
				COMPLETION DEPTH (ft.) 80		REGION Netserk		PAGE 2 OF 3						

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						
				SPT RESISTANCE ▲						
				10	20	30	40	50	60	70
				COMP. STRENGTH			T.S.F. ■			
				1	2	3				
	Continued									
58	SAND - as above (m1)		Not Frozen							
60										
62	SILT - compact, moist, some fine to CLAY coarse gravel and clean sand TILL lenses (m1/cl)									
64	- possibly till									
66										
68	END OF HOLE									
70										
72										
74										
76										
78										
80										
82										
84										
86										



ICE THICKNESS (ft.) 6
WATER DEPTH (ft.) 13½
COMPLETION DEPTH (ft.) 80

DATE DRILLED 22/3/74
TECH J.T.
REGION Netserk

HOLE No. 202
PAGE 3 OF 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10	20	30	40	50	60	70	COMP. STRENGTH T.S.F. ■		
				1	2	3							
2	SILT - trace of clay, very loose, (ml) saturated, black		Not Frozen										
4													
6	- medium grey, moist to wet, fine bedding												
8													
10	- low plastic												
12	- wet												
14													
16													
18													
20													
22													
24													
26													
28													
30													
Continued													
				ICE THICKNESS (ft.)		6	DATE DRILLED 21/3/74			HOLE No.			
				WATER DEPTH (ft.)		14	TECH J.T.			203			
				COMPLETION DEPTH (ft.)		56	REGION Netserk			PAGE 1 OF 2			

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●			SPT RESISTANCE ▲			
				10	20	30	40	50	60	70
				COMP. STRENGTH			T.S.F. ■			
				1	2	3				
	Continued									
30	SILT - trace of very fine sand, (m) very loose, moist, crumbly, med. to dark grey		Not Frozen							
32	low plastic									
34										
36										
38										
40	- trace of clay, wet to saturated.									
42										
44	END OF HOLE									
46										
48										
50										
52										
54										
56										
58										

ICE THICKNESS (ft.) 6

WATER DEPTH (ft.) 14

COMPLETION DEPTH (ft.) 56

DATE DRILLED 21/3/74

TECH J.T.

REGION Netserk

HOLE No. 203

PAGE 2 OF 2

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

SEASIDE SURVEY - SEA DRILLING PROGRAM				1974							
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						SPT RESISTANCE ▲	
				10 20 30 40 50 60 70							
				COMP. STRENGTH			T.S.F. ■				
				1 2 3							
SEA BOTTOM											
2	SILT - very loose, wet, dark grey (m)		Not Frozen								
4	- clayey, low plastic										
6											
8											
10	- trace of organics, loose, some mica flakes										
12											
14											
16	- clayey with some sand, low plastic										
18											
20											
22											
24											
26											
28											
30											
Continued											
				ICE THICKNESS (ft.) 6		DATE DRILLED 23/3/74		HOLE No. 204			
				WATER DEPTH (ft.) 14		TECH J.T.					
				COMPLETION DEPTH (ft.) 56		REGION Netserk		PAGE 1 OF 2			



ICE THICKNESS (ft.) 6
 WATER DEPTH (ft.) 14
 COMPLETION DEPTH (ft.) 56

DATE DRILLED 23/3/74
 TECH J.T.
 REGION Netserk

HOLE No. 204
 PAGE 1 OF 2

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

BEARPORT SEA DRILLING PROGRAM 1977												
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							SPT RESISTANCE ▲	
				10 20 30 40 50 60 70								
				COMP. STRENGTH			T.S.F. ■					
				1			2		3			
	Continued											
30	SILT - as above (ml)	⊗	Not Frozen									
32												
34												
36												
38		●										
40												
42	- very loose, saturated	⊗										
42	END OF HOLE											
44												
46												
48												
50												
52												
54												
56												
58												
				ICE THICKNESS (ft.)		6	DATE DRILLED 23/3/74			HOLE No. 204		
				WATER DEPTH (ft.)		14	TECH J.T.					
				COMPLETION DEPTH (ft.)		56	REGION Netserk			PAGE 2 OF 2		

BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)		SOIL DESCRIPTION		SAMPLE		GROUND ICE CONDITION		MOISTURE CONTENT %		SPT RESISTANCE		COMP. STRENGTH		T.S.F.	
		SEA BOTTOM													
2		SILT - very loose, fine bedding, (m) dark grey				NOT FROZEN									
4		- clayey, low plastic													
6															
8															
10															
12															
14															
16		- as above, some organics, wet to saturated													
18															
20															
22															
24															
26															
28															
30		- low plastic													
		Continued													

ICE THICKNESS (ft.) 6

WATER DEPTH (ft.) 14

COMPLETION DEPTH (ft.) 56

DATE DRILLED 23/3/74

TECH J.T.

REGION Netserk

HOLE No. 205

PAGE 1 OF 2

20

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●											
				SPT RESISTANCE ▲											
				10 20 30 40 50 60 70											
				COMP. STRENGTH						T.S.F. ■					
				1 2 3						1 2 3					
30	SILT - as above, wet (m')	X	NOT FROZEN												
32															
34															
36															
38															
40		X													
42															
44															
46															
48															
50	END OF HOLE	X													
52															
54															
56															
58															

	ICE THICKNESS (ft.)	6	DATE DRILLED	23/3/74	HOLE No. 205
	WATER DEPTH (ft.)	14	TECH	J.T.	
	COMPLETION DEPTH (ft.)	56	REGION	Netserk	
					PAGE 2 OF 2

BEAUFORT SEA DRILLING PROGRAM - 1974



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

BEAUFORT SEA DRILLING PROGRAM 1974												
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●								
				SPT RESISTANCE ▲								
				10	20	30	40	50	60	70		
				COMP. STRENGTH			T.S.F. ■					
				1	2	3						
	Continued											
58	SILT - wet, non-plastic, black (m) organic layers, medium grey		Not Frozen									
60												
62												
	- medium plastic											
64	END OF HOLE											
66	- gas encountered which plugged up bottom 15 feet of hollow stem											
68												
70												
72												
74												
76												
78												
80												
82												
84												
86												
				ICE THICKNESS (ft.)		5½	DATE DRILLED 24/3/74		HOLE No.			
				WATER DEPTH (ft.)		14	TECH K.S.		206			
				COMPLETION DEPTH (ft.)		77	REGION Netserk		PAGE 3 OF 3			

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

BEAUFORT SEA DRILLING PROGRAM				SPT							
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH			T.S.F. ■				
				1	2	3					
SEA BOTTOM											
2	SILT - very loose, moist, some layering, some mica flakes, medium plastic	X	Not Frozen								
4											
6											
8											
10											
12											
14											
16											
18											
20											
22		X									
24											
26											
28											
30											



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																		
				SPT RESISTANCE ▲																		
				10 20 30 40 50 60 70																		
				COMP. STRENGTH T.S.F. ■																		
				1 2 3																		
30	SILT - as above (m)	X	Not Frozen																			
32																						
34																						
36																						
38																						
40	END OF HOLE																					

	ICE THICKNESS (ft.)	6	DATE DRILLED	25/3/74	HOLE No.	207
	WATER DEPTH (ft.)	15	TECH	J.T.		
	COMPLETION DEPTH (ft.)	53½	REGION	Netserk	PAGE 2 OF 2	

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

SEA BOTTOM										
2	SILT - moist, very loose, some (m) layering, dark grey, clayey	X	Not Frozen	MOISTURE CONTENT % ●						
4				SPT RESISTANCE ▲						
6				10	20	30	40	50	60	70
8				COMP. STRENGTH T.S.F. ■						
10	- wet	X		1	2	3				
12										
14										
16										
18	- moist to wet, some organics, clayey, medium plastic	X								
20										
22										
24										
26	- wet, medium to dark grey	X								
28										
30										
Continued										



ICE THICKNESS (ft.)	5½	DATE DRILLED	25/3/74	HOLE No.
WATER DEPTH (ft.)	15	TECH	J.T.	208
COMPLETION DEPTH (ft.)	53½	REGION	Netserk	PAGE 1 OF 2



[illegible]

IMPERIAL OIL LIMITED

BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)		SOIL DESCRIPTION		SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							SPT RESISTANCE ▲		
						10 20 30 40 50 60 70									
						COMP. STRENGTH							T.S.F. ■		
						1 2 3									
		SEA BOTTOM													
2		SILT - very loose, moist to wet, (ml) trace of clay, some mica flakes, medium grey, medium plastic			Not Frozen										
4				⊗											
6															
8															
10				⊗											
12		- moist, trace of very fine sand lenses, medium plastic													
14				⊗											
16															
18															
20															
22															
24		- wet, very loose SILT - CLAY (ml-cl)													
26															
28															
30															

	ICE THICKNESS (ft.)	7	DATE DRILLED	26/3/74	HOLE No.
	WATER DEPTH (ft.)	23½	TECH	J.T.	
	COMPLETION DEPTH (ft.)	63½	REGION	Netserk North	PAGE 1 OF 2



IMPERIAL OIL LIMITED

BEAUFORT SEA DRILLING PROGRAM - 1974

[illegible]

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●			SPT RESISTANCE ▲			
				10	20	30	40	50	60	70
				COMP. STRENGTH			T.S.F. ■			
SEA BOTTOM				1	2	3				
2	SILT - very loose, moist, trace of CLAY organics, fine layering, dark grey, medium plastic (m) - cl)		Not Frozen							
4		X								
6										
8		X								
10	- no organics - some mica flakes, some sand	X								
12										
14	SILT - trace of clay (m)	X								
16										
18		X								
20	- trace of organics, wet	X								
22										
24										
26										
28		X								
30		X								
Continued										

ICE THICKNESS (ft.) 6

WATER DEPTH (ft.) 24

COMPLETION DEPTH (ft.) 90

DATE DRILLED 26/3/74

TECH J.T.

REGION Netserk North

HOLE No. 211

PAGE 1 OF 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10 20 30 40 50 60 70									
				COMP. STRENGTH T.S.F. ■									
				1 2 3									
	Continued												
30	SILT - as above (m)		Not Frozen										
32													
34													
36													
38	SAND & SILT - very fine sand, compact to sandy, non plastic												
40	(sm - ml)	X											
42													
44													
46													
48													
50	SILT - trace of clay, organic (m) layers, moist, compact, dark grey to black	X											
52													
54													
56													
58	Continued												



ICE THICKNESS (ft.)	6	DATE DRILLED 26/3/74	
WATER DEPTH (ft.)	24	TECH J.T.	
COMPLETION DEPTH (ft.)	90	REGION Netserk North	

HOLE No.	211
PAGE 2 OF 3	

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

BEAUFORT SEA DRILLING PROGRAM 1514										
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						
				SPT RESISTANCE ▲						
				10	20	30	40	50	60	70
				COMP. STRENGTH			T.S.F. ■			
				1			2 3			
SEA BOTTOM										
2	- not samples, hollow-stem plug sank through mud from ½ to 5½ feet depth		Not Frozen							
4										
6										
8	SILT - trace of clay, layered, CLAY moist, dark grey medium plastic (ml-cl)	X		▲ ●						
10										
12										
14		X		▲ ●						
16										
18	- trace of organics and trace of sand	X		▲ ●						
20										
22										
24	- very soft, medium to low plastic	X		▲ ●						
26										
28										
30	Continued									
		ICE THICKNESS (ft.) 6		DATE DRILLED 26/3/74		HOLE No.				
WATER DEPTH (ft.) 24½		TECH J.T.		212						
COMPLETION DEPTH (ft.) 68½		REGION Netserk North		PAGE 1 OF 2						



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

BEARPORT SEA DRILLING PROGRAM 1977											
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH			T.S.F. ■				
				1	2	3					
SEA BOTTOM											
2	SILT - moist, loose, layered, dark (m) grey	X	Not Frozen								
4		X									
6		X									
8		X									
10		X									
12	- very loose, wet	X									
14		X									
16		X									
18		X									
20		X									
22		X									
24		X									
26		X									
28		X									
30	Continued	X									
				ICE THICKNESS (ft.)		6		DATE DRILLED 28/3/74		HOLE No.	
				WATER DEPTH (ft.)		25		TECH J.T.		213	
				COMPLETION DEPTH (ft.)		68½		REGION Netserk North		PAGE 1 OF 2	

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH			T.S.F. ■				
				1	2	3					
SEA BOTTOM											
Continued											
30	SILT - trace of fine gravel and coarse sand, moist, compact, dark grey (m)	X	Not Frozen								
32											
34											
36											
38											
40											
42		X									
44	END OF HOLE										
46											
48											

ICE THICKNESS (ft.) 6
WATER DEPTH (ft.) 25
COMPLETION DEPTH (ft.) 68½

DATE DRILLED 28/3/74
TECH J.T.
REGION Netserk North

HOLE No. 213
PAGE 2 OF 2



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

BEAUFORT SEA DRILLING PROGRAM 1974										
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						
				SPT RESISTANCE ▲						
				10	20	30	40	50	60	70
				COMP. STRENGTH			T.S.F. ■			
				1	2	3				
SEA BOTTOM 12.5										
2	CLAY (TILL) (cl) - silty, some sand and gravel, compact, low plasticity, some horizontal shear planes		Not Frozen							
4										
6		X								
8										
10	- some silt, low plasticity trace of fine gravel moist, layered (?) compact		Vx - 5%							
12	<i>Silt</i>	X	<i>unbanded matrix</i>							
14	<i>Prof. bedded</i>									
16		X	Not Frozen							
18										
20										
22										
24	SILT - CLAY: trace of gravel, layered, stiff moist medium plastic (ml-cl)		Vx - 5%							
26		X								
28										
30	Continued									
				ICE THICKNESS (ft.) 5½			DATE DRILLED 31/3/74			HOLE No. 302
				WATER DEPTH (ft.) 41			TECH J.T.			
				COMPLETION DEPTH (ft.) 80			REGION Issigak			PAGE 1 OF 2



- 1974



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						
				SPT RESISTANCE ▲						
				10	20	30	40	50	60	70
				COMP. STRENGTH			T.S.F. ■			
				1	2	3				
2.6	SEA BOTTOM									
2	- too soft to sample, probably recent deltaic silt		Not Frozen							
3.8										
4										
6	CLAY (TILL) - silty, some fine to med. gravel, and some sand (cl) - low plastic, stiff horizontal shear planes	⊗								
8										
10										
12		⊗	- move to new borehole							
14										
16	CLAY, - trace of fine gravel, moist SILT to hard, layered, medium (cl=ml) plasticity, dark grey	⊗								
18										
20										
22										
24										
26	SILT - trace of clay, some (ml) gravel, moist, layered dark grey	⊗								
28										
30	Continued									
				ICE THICKNESS (ft.)			DATE DRILLED 30/3/74		HOLE No.	
				WATER DEPTH (ft.)			TECH J.T.		303	
				COMPLETION DEPTH (ft.)			REGION Issigak		PAGE 1 OF 2	



— 1974



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DEADPORT SEA DRILLING PROGRAM				1514									
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10	20	30	40	50	60	70			
				COMP. STRENGTH			T.S.F. ■						
				1			2		3				
SEA BOTTOM													
2	SILT - some fine gravel, trace of CLAY organics, dry to moist, (ml-cl) finely layered, compact		NOT FROZEN										
4													
6	- medium plastic	X											
8													
10	- hard drilling	X											
12													
14													
16	CLAY - silty, medium plastic (cl) trace of shell fragments	X											
18													
20													
22													
24													
26	- trace of fine gravel, no organics	X											
28													
30													
Continued													
				ICE THICKNESS (ft.)		8½		DATE DRILLED		1/4/74		HOLE No.	
				WATER DEPTH (ft.)		42		TECH		J.T.		304	
				COMPLETION DEPTH (ft.)		78½		REGION		Issigak		PAGE 1 OF 2	

[illegible]

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●				SPT RESISTANCE ▲			
				10	20	30	40	50	60	70	
				COMP. STRENGTH			T.S.F. ■				
				1	2	3					
0	SEA BOTTOM	12.6									
2	SILT (m) - trace of fine gravel, wood fragments, wet, layered, dark grey, very loose										
4											
6		X	NOT FROZEN								
8											
10		15.3									
12	(1) - clayey - some fine sand lenses, some organics, loose, moist to wet	X									
14		17.2									
16	SAND (sm) - some ^{self} sand, very fine, saturated, trace of organics	X									
18		15.1	No 2								
20	SILT CLAY (ml-cl) - trace of clay, moist, compact, layered, dark grey										
22	(3)										
24											
26	- High plastic	X									
28											
30											
Continued											
				ICE THICKNESS (ft.)		DATE DRILLED		HOLE No.			
				WATER DEPTH (ft.)		TECH		305			
				COMPLETION DEPTH (ft.)		REGION		PAGE 1 OF 2			
				6		1/4/74					
				41½		J.T.					
				78½		Issigak					

[illegible]

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						
				SPT RESISTANCE ▲						
				10	20	30	40	50	60	70
				COMP. STRENGTH			T.S.F. ■			
				1	2	3				
	SEA BOTTOM									
2	SAND, - layers of fine silty sand SILT and silt with a trace of (sm-cl) clay, wet, compact									
4			NOT FROZEN							
6		X								
8										
10	304 SILT - some clay, some fine (ml) gravel, compact	X	Vx - Vs 5 - 20%							
12		X								
14	4.26									
16	SILT - trace of sand, medium CLAY plastic (ml-cl)	X	Vx - Vs 5 - 70%							
18										
20			Soil generally not frozen be- tween lenses and around crystals							
22										
24										
26	- clayey, trace of fine to med. gravel, low plastic	X	Vx - Vs 5 - 50% lenses to 3"							
28										
30	Continued									

	ICE THICKNESS (ft.)	5½	DATE DRILLED	31/3/74	HOLE No. 306
	WATER DEPTH (ft.)	42	TECH	J.T.	
	COMPLETION DEPTH (ft.)	78½	REGION	Issigak	
					PAGE 1 OF 2

[illegible]

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

BEAUFORT SEA DRILLING PROGRAM 1977										
DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT %						
				SPT RESISTANCE						
				10	20	30	40	50	60	70
				COMP. STRENGTH			T.S.F.			
				1	2	3				
SEA BOTTOM										
2	NOT SAMPLED -very soft drilling,		UNFROZEN							
4	-organic rich sand recovered from the outside of hollow stem auger									
6										
8	SAND -very loose, medium grained SILT sand which is interbedded with silt	X								
10	-grey brown moist to wet silt (sm - ml)									
12										
14	SAND (sm) -loose medium sand, medium brown, uniform	X								
16	-silty									
18	SPT sank 1ft. on impact	X								
20	-medium to fine some silt to silty, very loose									
22										
24										
26										
28		X								
30	END OF HOLE -sand sloughed up the inside of the hollow stem									

	ICE THICKNESS (ft.) 5½	DATE DRILLED 5/4/74	HOLE No.
	WATER DEPTH (ft.) 10	TECH NRM	711
	COMPLETION DEPTH (ft.) 38½	REGION Pullen Island	PAGE 1 OF 1



ICE THICKNESS (ft.) 5½

WATER DEPTH (ft.) 10

COMPLETION DEPTH (ft.) 38½

DATE DRILLED 5/4/74

TECH NRM

REGION Pullen Island

HOLE No.

711

PAGE 1 OF 1

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT %								
				SPT RESISTANCE								
				10	20	30	40	50	60	70		
				COMP. STRENGTH			T.S.F.					
				1	2	3						
SEA BOTTOM												
2	SAND (sm) -some silt, some organics -fine to medium grained -grey brown, very loose -SPT PEN settled 1ft. under its own weight -fine grained, trace of silt and organics -medium brown -fine, silty, brown becoming finer and siltier with depth		UNFROZEN									
4												
6												
8												
10												
12												
14												
16												
18												
20												
22												
24												
26												
28												
30												

ICE THICKNESS (ft.) 5½

WATER DEPTH (ft.) 16½

COMPLETION DEPTH (ft.) 52

DATE DRILLED 5/4/74

TECH NRM

REGION Pullen Island

HOLE No. 712

PAGE 1 OF 2

[illegible]

50

IMPERIAL OIL LIMITED

BEAUFORT SEA DRILLING PROGRAM — 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●										
				SPT RESISTANCE ▲										
				10 20 30 40 50 60 70										
				COMP. STRENGTH			T.S.F. ■							
				1			2			3				
SEA BOTTOM														
2	-no recovery	X	NOT FROZEN											
4														
6														
8														
10														
12	SILT -moist, medium plastic (ml)	X	NOT FROZEN											
14														
16														
18														
20														
22	-stratified	X	NOT FROZEN											
24														
26														
28														
30														
32	CLAY SILT (cl - ml) -moist, some organics	X	NOT FROZEN											
34														
36														
38														
40														
42	-trace of organics, moist stratified, med. grey- brown non-plastic	X	NOT FROZEN											
44														
46														
48														
50														

ICE THICKNESS (ft.) 6

WATER DEPTH (ft.) 33½

COMPLETION DEPTH (ft.) 69½

DATE DRILLED 11/4/74

TECH CME

REGION KADOK

HOLE No. 416

PAGE 1 OF 2

[illegible]

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT %		SPT RESISTANCE	
				10 20 30 40 50 60 70		1 2 3	
				T.S.F.		T.S.F.	
SEA BOTTOM							
2	SILT -trace of clay , trace of (m) fine sand, slight plasticity medium grey-brown	X	NOT FROZEN				
4							
6							
8							
10	CLAY -medium plastic SILT (cl-m)	X					
12		X					
14		X					
16		X					
18		X					
20		X					
22		X					
24		X					
26		X					
28		X					
30	-low plasticity	X					

ICE THICKNESS (ft.)	54	DATE DRILLED 16/4/74
WATER DEPTH (ft.)	33	TECH KOS
COMPLETION DEPTH (ft.)	83½	REGION KADOK

HOLE No.
419

PAGE 1 OF 2



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM — 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH			T.S.F. ●				
				1	2	3					
32	CLAY SILT -as above (cl-mt)	X	NOT FROZEN								
34											
36											
38											
40	SAND -medium grain size, trace of. (sm) silt	X	NOT FROZEN								
42											
44											
46											
48											
50											
52	END OF HOLE -sand sloughed up the inside of the hollow stem										
54											
56											
58											
60											



ICE THICKNESS (ft.)	5½	DATE DRILLED	16/4/74
WATER DEPTH (ft.)	33	TECH	KOS
COMPLETION DEPTH (ft.)	83½	REGION	KADOK

HOLE No.	419
PAGE 2 OF 2	

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10 20 30 40 50 60 70									
				COMP. STRENGTH T.S.F. ■									
				1 2 3									
SEA BOTTOM													
2	SILT - some organics, moist, (m) medium grey	X	NOT FROZEN										
4													
6													
8													
10													
12													
14													
16													
18													
20													
22	-some marine shells	X											
24													
26													
28													
30													
	SILT - CLAY	X											
	-trace of fine sand												

	ICE THICKNESS (ft.)	5½	DATE DRILLED	12/4/74	HOLE No.
	WATER DEPTH (ft.)	32½	TECH	CME	420
	COMPLETION DEPTH (ft.)	73½	REGION	KADOK	PAGE 1 OF 2

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1974

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																		
				SPT RESISTANCE ▲																		
				10 20 30 40 50 60 70																		
				COMP. STRENGTH					T.S.F. ■													
				1					2 3													
32	SILT -as above (m)		NOT FROZEN																			
34																						
36																						
38	SAND (sm)																					
40																						
42																						
44	END OF HOLE -sand sloughed up inside of hollow stem auger																					
46																						
48																						



ICE THICKNESS (ft.)	5½	DATE DRILLED	12/4/74
WATER DEPTH (ft.)	32½	TECH	CME
COMPLETION DEPTH (ft.)	73½	REGION	KADOK

HOLE No.
420

PAGE 2 OF 2

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % •													
				SPT RESISTANCE ▲													
				10 20 30 40 50 60 70													
				COMP. STRENGTH T.S.F. ■													
				1 2 3													
2	ICE																
4																	
6																	
8																	
10																	
12	WATER																
14																	
16																	
18																	
20																	
22																	
24																	
26																	
28																	
30																	
24	CLAY - dark grey brown, soft, trace of shells and organics		UNFROZEN														
26																	
28																	
30																	

	ICE THICKNESS (ft.)	5	DATE DRILLED	11/3/75	HOLE N° B-52-1
	WATER DEPTH (ft.)	23	TECHNICIAN	J.H.	
	COMPLETION DEPTH (ft.)	113	REGION	KIGUT	
					Page 1 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●		SPT RESISTANCE ▲		10 20 30 40 50 60 70												
				COMP. STRENGTH T.S.F. ■		POCKET PENETROMETER □														
				1	2	3														
32	CLAY - as above - low plastic	⊗	UNFROZEN																	
34	- firm, stiff																			
36																				
38																				
40	CLAY SILT	⊗																		
42	- medium, grey brown - low plastic																			
44																				
46	- medium plastic, SILT-CLAY																			
48		■																		
50	- dark grey - firm - soft, trace of organics	⊗																		
52																				
54	- dark grey, silty CLAY - trace of organics, shells																			
56	- very soft	■																		
58	SILT-CLAY - medium plastic																			
60																				



ICE THICKNESS (ft.) 5

WATER DEPTH (ft.) 23

COMPLETION DEPTH (ft.) 113

DATE DRILLED 11/3/75


TECHNICIAN J.H.

REGION KIGUT

HOLE N° 8-52-1

Page 2 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ● SPT RESISTANCE ▲ 10 20 30 40 50 60 70 COMP. STRENGTH T.S.F. ■ POCKET PENETROMETER □ 1 2 3									
62	CLAY-SILT - trace of organics, shells - very soft, medium plastic - changing to clay by 79'		UNFROZEN										
64													
66													
68													
70													
72	CLAY - soft - soft to firm, medium plastic		UNFROZEN										
74													
76													
78													
80													
82													
84													
86													
88													
90													



ICE THICKNESS (ft.) 5
WATER DEPTH (ft.) 23
COMPLETION DEPTH (ft.) 113

DATE DRILLED 11/3/75
TECHNICIAN J.H.
REGION KIGUT

HOLE N^o.
8-52-1
Page 3 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						
				SPT RESISTANCE ▲						
				10	20	30	40	50	60	70
				COMP. STRENGTH T.S.F ■						
				1	2	3				
92	CLAY- as above		NOT FROZEN							
94										
96										
98	SAND & SILT- fine, trace of organics									
100										
102	SAND- trace of silt, fine									
104										
106	- trace silt									
108										
110	END OF HOLE									
112										
114										



ICE THICKNESS (ft.)	5
WATER DEPTH (ft.)	23
COMPLETION DEPTH (ft.)	113

DATE DRILLED	11/3/75
TECHNICIAN	J.H.
REGION	KIGUT

HOLE N^o
B-52-1

Page 4 of 4

BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10	20	30	40	50	60	70			
				COMP. STRENGTH T.S.F. ■									
				POCKET PENETROMETER □									
2	ICE												
4													
6													
8													
10													
12	WATER												
14													
16													
18													
20													
22													
24				CLAY- grey, silty, some organics - some shells, stiff	UNFROZEN								
26													
28													
30													

ICE THICKNESS (ft.) 5

WATER DEPTH (ft.) 22.3

COMPLETION DEPTH (ft.) 89

DATE DRILLED 10/3/75

TECHNICIAN NRM

REGION KIGUT

HOLE N°

B-52-5

Page 1 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						
				SPT RESISTANCE ▲						
				10	20	30	40	50	60	70
				COMP. STRENGTH T.S.F. ■						
				1	2	3				
32	CLAY - grey, firm, trace silt - some organics									
34										
36										
38										
40										
42										
44	- soft									
46			UNFROZEN							
48										
50	- firm, medium plastic	⊗		▲	—	●				
52										
54										
56										
58										
60										

	ICE THICKNESS (ft.)	5	DATE DRILLED	10/3/75	HOLE N°
	WATER DEPTH (ft.)	22.3	TECHNICIAN	NRM	
	COMPLETION DEPTH (ft.)	89	REGION	KIGUT	Page 2 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●												SPT RESISTANCE ▲			10 20 30 40 50 60 70			COMP. STRENGTH T.S.F. ■		
				1	2	3	1	2	3	1	2	3	1	2	3									
62	CLAY - as above - grey, very soft , silty & shells - soft to firm, medium plastic	X	UNFROZEN																					
64																								
66				▲																				
68																								
70																								
72	CLAY-SILT - some organics - medium to low plastic	X	UNFROZEN																					
74				▲																				
76																								
78																								
80																								
82	SILT - clayey to CLAY-SILT - grey		UNFROZEN																					
84																								
86																								
88																								
90				END OF HOLE																				



ICE THICKNESS (ft.)5

DATE DRILLED10/3/75

WATER DEPTH (ft.)22.3

TECHNICIANNRM

COMPLETION DEPTH (ft.)89

REGIONKIGUT

HOLE N°B-52-5

Page 3 of 3

22-65 clay
65-75 sand

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % •												
				SPT RESISTANCE ▲												
				10 20 30 40 50 60 70												
				COMP. STRENGTH T.S.F. ■												
				1 2 3												
2	ICE															
4																
6																
8	WATER															
10																
12																
14																
16																
18																
20																
22																
24																
26																
28																
30																
22	CLAY - medium grey - trace shells, soft, low plastic - firm		UNFROZEN													
24																
26																
28																
30																

ICE THICKNESS (ft.) 5 1/2	DATE DRILLED 19/3/75
WATER DEPTH (ft.) 22	TECHNICIAN JH
COMPLETION DEPTH (ft.) 77	REGION Ernerk

HOLE N° 1-21-9	Page 1 of 3
----------------	-------------

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●											
				SPT RESISTANCE ▲											
				10 20 30 40 50 60 70											
				COMP. STRENGTH T.S.F. ■											
				1			2			3					
32	CLAY - medium grey, trace of shells, low plastic - firm to stiff														
34															
36															
38	- stiff		UNFROZEN												
40															
42															
44	- firm, low to medium plastic														
46															
48	- firm														
50															
52	- soft to firm														
54															
56	- very soft to soft														
58															
60	- very soft to soft, low to medium plastic														



ICE THICKNESS (ft.) 5 1/2

WATER DEPTH (ft.) 22

COMPLETION DEPTH (ft.) 77

DATE DRILLED 19/3/75

TECHNICIAN JH

REGION Ernerk

HOLE N°

1-21-9

Page 2 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																	
				SPT RESISTANCE ▲																	
				10 20 30 40 50 60 70																	
				COMP. STRENGTH T.S.F. ■																	
				1 2 3																	
62	CLAY		UNFROZEN																		
	- trace of shells																				
	- very soft to soft																				
64																					
66	SAND - dark grey, some silt																				
	- trace clay																				
	- very loose																				
68																					
70	- trace of silt	X																			
72																					
74																					
76																					
78	END OF HOLE																				

ICE THICKNESS (ft.) 5 1/2

WATER DEPTH (ft.) 22

COMPLETION DEPTH (ft.) 77

DATE DRILLED 19/3/75

TECHNICIAN JH

REGION Ernerk

HOLE No 1-21-9

Page 3 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●								
				SPT RESISTANCE ▲								
				10	20	30	40	50	60	70		
				COMP. STRENGTH T.S.F. ■								
				1	2	3						
2	ICE											
4												
6												
8	WATER											
10												
12												
14												
16												
18												
20												
22	CLAY - brownish grey, moist - trace of organics - firm	UNFROZEN										
24												
26												
28												
30												

	ICE THICKNESS (ft.)	5	DATE DRILLED	9/3/75	HOLE N ^o
	WATER DEPTH (ft.)	17	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	145	REGION	Hendrickson	Page 1 of 5

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																		
				SPT RESISTANCE ▲																		
				10 20 30 40 50 60 70																		
				COMP. STRENGTH T.S.F. ■																		
				1 2 3																		
32	CLAY - grey, moist, firm - silty - low plastic	X																				
34																						
36																						
38																						
40																						
42	SAND - fine grained, greyish brown - wet, some silt, angular, - trace of organics - trace silt - fine, uniform trace of silt																					
44																						
46																						
48																						
50																						
52																						
54																						
56																						
58																						
60																						

	ICE THICKNESS (ft.)	5	DATE DRILLED 9/3/75	HOLE № B-8-1
	WATER DEPTH (ft.)	17	TECHNICIAN DF	
	COMPLETION DEPTH (ft.)	145	REGION Hendrickson	

Page 2 of 5

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ● SPT RESISTANCE ▲ 10 20 30 40 50 60 70 COMP. STRENGTH T.S.F. ■ 1 2 3											
62	SAND - greyish brown, fine grained, trace of silt - very wet, angular		UNFROZEN												
64															
66															
68															
70															
72	- fine trace of silt														
74															
76	SAND and SILT - greyish brown, fine, uniform														
78															
80															
82															
84															
86															
88															
90	- soupy wet														

	ICE THICKNESS (ft.)	5	DATE DRILLED	9/3/75	HOLE N ^o B-8-1 Page 3 of 5
	WATER DEPTH (ft.)	17	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	145	REGION	Hendrickson	

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●															
				SPT RESISTANCE ▲															
				10 20 30 40 50 60 70															
				COMP. STRENGTH T.S.F ■															
				1 2 3															
92	SAND and SILT - greyish brown, fine grained, soupy wet, - angular		UNFROZEN																
94																			
96																			
98	- some silt, trace of clay																		
100																			
102																			
104																			
106	SAND - yellowish brown																		
108																			
110																			
112	SAND & SILT - greyish brown, some silt, wet																		
114																			
116																			
118																			
120																			

	ICE THICKNESS (ft.)	5	DATE DRILLED	9/3/75	HOLE N ^o B-8-1
	WATER DEPTH (ft.)	17	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	145	REGION	Hendrickson	Page 4 of 5

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																
				SPT RESISTANCE ▲																
				10 20 30 40 50 60 70																
				COMP. STRENGTH T.S.F. ■																
				1 2 3																
122	SAND - yellowish brown, wet, - fine to medium grained - trace of gravel up to 1/2"		UNFROZEN																	
124																				
126																				
128																				
130																				
132																				
134																				
136																				
138																				
140																				
142	- yellowish brown - wet, angular, fine to medium grained																			
144	- fine, uniform																			
146	END OF HOLE																			
148																				

	ICE THICKNESS (ft.)	5	DATE DRILLED	9/3/75	HOLE N°
	WATER DEPTH (ft.)	17	TECHNICIAN	DF	B-8-1
	COMPLETION DEPTH (ft.)	145	REGION	Hendrickson	Page 5 of 5

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % •									
				SPT RESISTANCE ▲									
				10	20	30	40	50	60	70			
				COMP. STRENGTH T.S.F. ■									
				POCKET PENETROMETER □									
				1 2 3									
2	ICE												
4													
6													
8													
10													
12	WATER												
14													
16													
18													
20													
22	SILT - dark grey brown, trace clay - trace shells - very stiff, medium plastic - stiff		UNFROZEN										
24													
26													
28													
30													

	ICE THICKNESS (ft.)	5	DATE DRILLED	17/3/75	HOLE N°
	WATER DEPTH (ft.)	15	TECHNICIAN	JH	
	COMPLETION DEPTH (ft.)	65	REGION	Hendrickson	Page 1 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																
				SPT RESISTANCE ▲																
				10 20 30 40 50 60 70																
				COMP. STRENGTH T.S.F. ■																
				POCKET PENETROMETER □																
				1 2 3																
32	SILT - dark grey brown, trace clay - trace shells and organics - very stiff, low plastic																			
34																				
36																				
38	- trace fine sand pockets - firm, medium to low plastic	×	UNFROZEN																	
40																				
42																				
44	SAND - medium grey brown - fine grained, trace of silt and coal		UNFROZEN																	
46																				
48																				
50	- saturated, fine sand - trace of silt	×	possibly sand sloughed up stem																	
52																				
54																				
56																				
58		×																		
60																				

	ICE THICKNESS (ft.)	5	DATE DRILLED	17/3/75	HOLE N°
	WATER DEPTH (ft.)	15	TECHNICIAN	JH	B-8-2
	COMPLETION DEPTH (ft.)	65	REGION	Hendrickson	Page 2 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ● SPT RESISTANCE ▲ 10 20 30 40 50 60 70 COMP. STRENGTH T.S.F ■																					
				1				2				3													
62	SAND - medium grey brown - fine grained, trace of silt - poorly graded		UNFROZEN																						
64																									
66																									
68	END OF HOLE																								

	ICE THICKNESS (ft.)	5	DATE DRILLED	17/3/75	HOLE N° B-8-2
	WATER DEPTH (ft.)	15	TECHNICIAN	JH	
	COMPLETION DEPTH (ft.)	65	REGION	Hendrickson	
					Page 3 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																					
				SPT RESISTANCE ▲																					
				10 20 30 40 50 60 70						COMP. STRENGTH T.S.F. ■															
				1						2						3									
2	ICE																								
4																									
6																									
8	WATER																								
10																									
12																									
14																									
16																									
18	SILT - medium to dark grey brown, some clay, trace of shells and organics - soft to firm		UNFROZEN																						
20																									
22																									
24																									
26																									
28	CLAY-SILT - low plastic																								
30																									

	ICE THICKNESS (ft.)	6	DATE DRILLED	18/3/75	HOLE N°
	WATER DEPTH (ft.)	16	TECHNICIAN	JH	
	COMPLETION DEPTH (ft.)	73	REGION	Hendrickson	Page 1 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							SPT RESISTANCE ▲								
				10 20 30 40 50 60 70							COMP. STRENGTH T.S.F. ■								
				1			2			3									
32	CLAY-SILT -medium to dark grey brown, shells and organics - soft to firm, medium plastic - 10" long ice inclusions trace of sand - vertical lense	X	ICE LENSE (vertical)																
34																			
36																			
38	SILT - dark grey brown, some fine brown sand, trace clay																		
40																			
42	SAND - medium brown - some silt, well graded	X	sank 16"																
44																			
46																			
48	- mostly fine grained with trace fine gravel		UNFROZEN																
50																			
52																			
54	- fine grained, trace of silt																		
56																			
58																			
60																			
ICE THICKNESS (ft.) 6				DATE DRILLED 18/3/75				HOLE N ^o											
WATER DEPTH (ft.) 16				TECHNICIAN JH				B-8-3											
COMPLETION DEPTH (ft.) 73				REGION Hendrickson				Page 2 of 3											



IMPERIAL OIL LIMITED

BEAUFORT SEA DRILLING PROGRAM - 1975



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●										
				SPT RESISTANCE ▲										
				10	20	30	40	50	60	70				
				COMP. STRENGTH T.S.F. ■										
				1	2	3								
2	ICE													
4														
6														
8														
10														
12														
14														
16														
18				WATER										
20														
22														
24														
26														
28	CLAY - silty to some silt - brown-grey - low plastic		NOT FROZEN											
30														

	ICE THICKNESS (ft.)	5	DATE DRILLED	4/3/75	HOLE N° L-30-1
	WATER DEPTH (ft.)	27	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	129	REGION	Arnak (L-30)	Page 1 of 5

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10 20 30 40 50 60 70									
				COMP. STRENGTH T.S.F. ■ POCKET PENETROMETER □									
32	CLAY - continued												
34													
36	SILT-CLAY - some fine sand layers, stiff												
38	SILT - silty fine sand layers												
40													
42	CLAY - layers of clay and silty clay												
44													
46	- firm to stiff low plastic												
48													
50	SILT-CLAY - firm												
52													
54	CLAY												
56													
58	- some silt, trace of sand - sand layers to 1 ft. thick		NOT FROZEN										
60													

	ICE THICKNESS (ft.)	5	DATE DRILLED	4/3/75	HOLE N ^o L-30-1
	WATER DEPTH (ft.)	27	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	129	REGION	Arnak (L-30)	

Page 2 of 5



ICE THICKNESS (ft.) 5
 WATER DEPTH (ft.) 27
 COMPLETION DEPTH (ft.) 129

DATE DRILLED 4/3/75
 TECHNICIAN DF
 REGION Arnak (L-30)

HOLE N^o
 L-30-1
 Page 2 of 5

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ● SPT RESISTANCE ▲ 10 20 30 40 50 60 70 COMP. STRENGTH T.S.F. ■ 1 2 3																							
62	CLAY - some clay, grey, trace of fine sand		NOT FROZEN																								
64																											
66																											
68																											
70																											
72																											
74	SAND - fine, some silt laminae																										
76																											
78																											
80																											
82																											
82	- fine, trace of silt yellowish-brown	X																									
84	SAND-SILT?																										
86																											
88	SAND																										
90																											

	ICE THICKNESS (ft.)	5	DATE DRILLED	4/3/75	HOLE N ^o
	WATER DEPTH (ft.)	27	TECHNICIAN	DF	L-30-1
	COMPLETION DEPTH (ft.)	129	REGION	Arnak (L-30)	Page 3 of 5

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																	
				SPT RESISTANCE ▲																	
				10 20 30 40 50 60 70																	
				COMP. STRENGTH T.S.F. ■																	
				1 2 3																	
92	SAND - same - fine to medium sand		NOT FROZEN																		
94																					
96																					
98																					
100																					
102																					
104																					
106																					
108																					
110																					
112																					
114																					
116																					
118																					
120																					

	ICE THICKNESS (ft.)	5	DATE DRILLED	4/3/75	HOLE № L-30-1
	WATER DEPTH (ft.)	27	TECHNICIAN	DE	
	COMPLETION DEPTH (ft.)	129	REGION	Arnak (L-30)	Page 4 of 5

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

[illegible]

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																				
				SPT RESISTANCE ▲																				
				10 20 30 40 50 60 70																				
				COMP. STRENGTH T.S.F. ■																				
				1 2 3																				
2	ICE																							
4																								
6				WATER																				
8																								
10																								
12																								
14																								
16																								
18																								
20																								
22																								
24																								
26																								
28																								
30	CLAY - silty - greyish brown																							



ICE THICKNESS (ft.)	5
WATER DEPTH (ft.)	29
COMPLETION DEPTH (ft.)	113

DATE DRILLED	27/2/75
TECHNICIAN	DF
REGION	Arnak (L-30)

HOLE N°

L-30-6

Page 1 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							SPT RESISTANCE ▲							
				10 20 30 40 50 60 70							COMP. STRENGTH T.S.F. ■							
				Pocket Penetrometer □							1 2 3							
32	CLAY(continued) - silty - greyish brown - wet		UNFROZEN															
34																		
36																		
38																		
40																		
42																		
44		⊗																
46																		
48																		
50	- some silt. - grey - moist																	
52		⊗																
54																		
56																		
58	- some fine sand - grey, wet - 1 foot sand layer																	
60		⊗																

	ICE THICKNESS (ft.)	5	DATE DRILLED	27/2/75	HOLE N ^o L-30-6
	WATER DEPTH (ft.)	29	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	113	REGION	Arnak (L-30)	

Page 2 of 4



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●													
				SPT RESISTANCE ▲													
				10 20 30 40 50 60 70													
				COMP. STRENGTH T.S.F. ■													
				Pocket Penetrometer □													
				1 2 3													
62	CLAY (continued) - trace of fine sand - grey - wet		UNFROZEN														
64				□													
66																	
68																	
70	SAND - fine - trace of silt - trace of gravel - greyish brown																
72																	
74		X															
76																	
78	- trace of silt - angular, wet - greyish brown																
80																	
82		/		▲													
84																	
86																	
88																	
90																	
		- trace of silt															

	ICE THICKNESS (ft.)	5	DATE DRILLED	27/2/75	HOLE N ^o
	WATER DEPTH (ft.)	29	TECHNICIAN	DF	L-30-6
	COMPLETION DEPTH (ft.)	113	REGION	Arnak (L-30)	Page 3 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							SPT RESISTANCE ▲
				10 20 30 40 50 60 70							
				COMP. STRENGTH T.S.F. ■							
				1	2	3					
	SAND (continued)										
92	- trace of silt - greyish brown										
94	- fine grained - trace of silt										
96	- greyish brown - angular, wet										
98											
100											
102	- thin layers of silt and fine sand.										
104											
106	- medium grained - traces of silt										
108	- angular, greyish brown										
110											
112											
114	END OF HOLE (SAND SLOUGHED UP INSIDE CASING)										
116											
118											
120											

	ICE THICKNESS (ft.)	5	DATE DRILLED	27/2/75	HOLE N ^o L-30-6
	WATER DEPTH (ft.)	29	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	113	REGION	Arnak (L-30)	
					Page 4 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						SPT RESISTANCE ▲			
				10	20	30	40	50	60	70	COMP. STRENGTH T.S.F. ■		
				1						2		3	
2	ICE												
4													
6													
8	WATER												
10													
12													
14													
16													
18													
20													
22													
24													
26													
28													
30													
24	CLAY - silty - greyish brown - wet - low plastic		UNFROZEN										
26													
28													
30													
- greyish brown, moist													

ICE THICKNESS (ft.) 5.0

WATER DEPTH (ft.) 23.0

COMPLETION DEPTH (ft.) 113

DATE DRILLED 28/2/75

TECHNICIAN DF

REGION Arnak (L-30)

HOLE N° L-30-7

Page 1 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●										SPT RESISTANCE ▲									
				10 20 30 40 50 60 70										10 20 30 40 50 60 70									
				Pocket Penetrometer □					Pocket Vane ○					Pocket Penetrometer □					Pocket Vane ○				
				1	2	3	1	2	3	1	2	3	1	2	3								
32	CLAY- (Continued)																						
34	- greyish brown																						
36	- silty																						
38	- wet																						
40	- low plastic																						
42																							
44	- moist																						
46																							
48																							
50	- grey																						
52	- wet																						
54	- soft																						
56	SAND - fine, angular																						
58	- trace of silt																						
60	- greyish brown																						
	- wet																						
	- fine																						
	- trace of silt																						
	- yellowish brown wet																						
ICE THICKNESS (ft.) 5				DATE DRILLED 28/2/75				HOLE N°															
WATER DEPTH (ft.) 23				TECHNICIAN DF				L-30-7															
COMPLETION DEPTH (ft.) 113				REGION Arnak (L-30)				Page 2 of 4															

IMPERIAL OIL LIMITED

BEAUFORT SEA DRILLING PROGRAM - 1975



BEAUFORT SEA DRILLING PROGRAM - 1975



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH T.S.F. ☐ Pocket Penetrometer ☐							
2	ICE										
4											
6											
8											
10											
12	WATER										
14											
16											
18											
20											
22											
24											
26											
28											
30											
28	CLAY - silty - greyish brown - low plastic - wet		UNFROZEN								
30											



ICE THICKNESS (ft.) 5.5

WATER DEPTH (ft.) 27.0

COMPLETION DEPTH (ft.) 121

DATE DRILLED 2/3/75

TECHNICIAN DF

REGION Arnak (L-30)

HOLE N°

L-30-8

Page 1 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10	20	30	40	50	60	70			
				Pocket Vane ○ Pocket Penetrometer □									
				1	2	3							
32	CLAY (continued) - silty - grey brown - medium plastic - wet												
34													
36													
38													
40													
42													
44													
46	- greyish brown - low plastic												
48													
50													
52	SILT - some clay - greyish brown - wet												
54													
56													
58													
60	SAND - fine, silty	X											
	SILT (continued)												

	ICE THICKNESS (ft.)	5.5	DATE DRILLED	2/3/75	HOLE N ^o L-30-8
	WATER DEPTH (ft.)	27.0	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	121	REGION	Arnak (L-30)	
					Page 2 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●													
				SPT RESISTANCE ▲						COMP. STRENGTH T.S.F ■							
				10	20	30	40	50	60	70	1	2	3				
62	SILT (continued) - some clay , trace of sand - grey - wet - firm		UNFROZEN														
64																	
66																	
68																	
70																	
72	- trace of clay - trace of sand - soft, wet																
74	- traces of sand and clay - grey - wet																
76	SAND - fine - trace of silt - yellowish brown - angular - very wet																
78																	
80																	
82																	
84																	
86																	
88																	
90																	
		X	sand sloughed up inside casing. Not representative														



ICE THICKNESS (ft.) 5.5	DATE DRILLED 2/3/75
WATER DEPTH (ft.) 27.0	TECHNICIAN DF
COMPLETION DEPTH (ft.) 121	REGION Arnak (L-30)

HOLE N^o
 L-30-8
 Page 3 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																		
				SPT RESISTANCE ▲																		
				10 20 30 40 50 60 70																		
				COMP. STRENGTH T.S.F ■																		
				1 2 3																		
92	SAND (continued) - fine - trace of silt - yellowish brown - angular, wet		UNFROZEN																			
94																						
96																						
98																						
100																						
102																						
104																						
106																						
108																						
110																						
112																						
114																						
116																						
118																						
120																						
END OF HOLE (PLUGGED UP)																						

	ICE THICKNESS (ft.)	5.5	DATE DRILLED	2/3/75	HOLE N ^o
	WATER DEPTH (ft.)	27.0	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	121	REGION	Arnak (L-30)	
					Page 4 of 4

13-00000

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●			SPT RESISTANCE ▲			10 20 30 40 50 60 70			COMP. STRENGTH T.S.F. ■			POCKET PENETROMETER □		
32	CLAY - silty, grey		NOT FROZEN															
34																		
36	- stiff																	
38	- silty, low to medium plastic																	
40																		
42	- thinly bedded layers of clay and silty clay, firm																	
44																		
46																		
48																		
50	CLAY-SILT																	
52	- some organics																	
54	- stiff																	
56	CLAY - silty, grey, wet low plastic																	
58																		
60																		

	ICE THICKNESS (ft.)	5	DATE DRILLED	3/3/75	HOLE N°	
	WATER DEPTH (ft.)	28	TECHNICIAN	DF		L-30-9
	COMPLETION DEPTH (ft.)	113	REGION	Arnak (L-30)		

Page 2 of 4



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																
				SPT RESISTANCE ▲																
				10 20 30 40 50 60 70																
				COMP. STRENGTH T.S.F. ■																
				1 2 3																
62	CLAY - same as above		NOT FROZEN																	
64	- thinly bedded silt and sand																			
66	SAND - trace of silt, fine angular, grey																			
68																				
70																				
72																				
74																				
76																				
78																				
80																				
82																				
84																				
86																				
88																				
90	- thin layer of clayey silt	X																		



ICE THICKNESS (ft.)	5
WATER DEPTH (ft.)	28
COMPLETION DEPTH (ft.)	113

DATE DRILLED	3/3/75
TECHNICIAN	DF
REGION	Arnak (L-30)

HOLE N°	L-30-9
Page 3 of 4	

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●											
				SPT RESISTANCE ▲											
				10 20 30 40 50 60 70											
				COMP. STRENGTH T.S.F. ■											
				1 2 3											
	SAID - as above														
92	- trace of silt, thin layer of clayey silt, fine grained		NOT FROZEN												
94															
96															
98															
100															
102															
104															
106															
108															
110															
112	- fine to medium, trace of coal														
114															
116															
118															
120															
114	END OF HOLE														
116															
118															
120															

	ICE THICKNESS (ft.)	5	DATE DRILLED	3/3/75	HOLE N°
	WATER DEPTH (ft.)	28	TECHNICIAN	DF	L-30-9
	COMPLETION DEPTH (ft.)	113	REGION	Arnak (L-30)	Page 4 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●											
				SPT RESISTANCE ▲											
				10	20	30	40	50	60	70	COMP. STRENGTH T.S.F. ■				
2	ICE														
4															
6	WATER														
8															
10															
12															
14															
16															
18															
20															
22															
24															
26															
28				CLAY - silty, grey		NOT FROZEN									
30															

	ICE THICKNESS (ft.)	5	DATE DRILLED	5/3/75	HOLE N ^o L-30-10
	WATER DEPTH (ft.)	27	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	81	REGION	Arnak (L-30)	Page 1 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●			SPT RESISTANCE ▲			COMP. STRENGTH T.S.F. ■									
				10	20	30	40	50	60	70	1	2	3						
32	CLAY - silty, grey - trace of fine sand stiff - silty, grey, wet - stiff to very stiff - low plastic - firm to stiff - medium plastic	X	NOT FROZEN																
34																			
36																			
38																			
40																			
42																			
44																			
46																			
48																			
50																			
52		X																	
54		X																	
56		X																	
58	SAND - silty, fine, compact	X																	
60																			

	ICE THICKNESS (ft.) 5	DATE DRILLED 5/3/75	HOLE N ^o
	WATER DEPTH (ft.) 27	TECHNICIAN DF	L-30-10
	COMPLETION DEPTH (ft.) 81	REGION Arnak (L-30)	Page 2 of 3



ICE THICKNESS (ft.) 5
 WATER DEPTH (ft.) 27
 COMPLETION DEPTH (ft.) 81

DATE DRILLED 5/3/75
 TECHNICIAN DF
 REGION Arnak (L-30)

HOLE N^o
 L-30-10
 Page 2 of 3

102



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●										
				SPT RESISTANCE ▲										
				10	20	30	40	50	60	70				
				COMP. STRENGTH T.S.F. ■										
				1	2	3								
2	ICE													
4														
6														
8														
10														
12														
14														
16														
18				WATER										
20														
22														
24														
26														
28														
30	CLAY - SILTY brown-grey		NOT FROZEN											



ICE THICKNESS (ft.)	5
WATER DEPTH (ft.)	28
COMPLETION DEPTH (ft.)	81

DATE DRILLED	6/3/75
TECHNICIAN	DF
REGION	Arnak (L-30)

HOLE №	L-30-11
--------	---------

Page 1 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●			SPT RESISTANCE ▲					
				10 20 30 40 50 60 70			10 20 30 40 50 60 70					
				COMP. STRENGTH T.S.F. ■			1 2 3					
32	CLAY - SILTY brown-grey		NOT FROZEN									
34												
36												
38												
40												
42												
44	- stiff, some silty	X										
46												
48												
50	- grey, moist, stiff	X										
52	- firm, silty											
54												
56												
58												
60												



ICE THICKNESS (ft.) 5

WATER DEPTH (ft.) 28

COMPLETION DEPTH (ft.) 81

DATE DRILLED 6/3/75

TECHNICIAN DF

REGION Arnak (L-30)

HOLE N^o

L-30-11

Page 2 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ● SPT RESISTANCE ▲ 10 20 30 40 50 60 70 COMP. STRENGTH T.S.F. ■ 1 2 3											
62	CLAY - dark grey, firm, silty - stiff SAND - fine, brown - trace of silt	X	NOT FROZEN	SPT Resistance Data <!-- SPT 1 --> <!-- SPT 2 --> <!-- SPT 3 -->											
64															
66															
68															
70															
72															
74															
76															
78															
80															
82	END OF HOLE														
84															
86															
88															
90															

	ICE THICKNESS (ft.)	5	DATE DRILLED	6/3/75	HOLE N ^o
	WATER DEPTH (ft.)	28	TECHNICIAN	DF	L-30-11
	COMPLETION DEPTH (ft.)	81	REGION	Arnak (L-30)	Page 3 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10	20	30	40	50	60	70			
				COMP. STRENGTH T.S.F. ■									
				1	2	3							
2	ICE												
4													
6	WATER												
8													
10													
12													
14													
16													
18													
20													
22													
24													
26				CLAY - silty, grey	NOT FROZEN								
28													
30													

	ICE THICKNESS (ft.) 5	DATE DRILLED 5/3/75	HOLE N° L-30-12
	WATER DEPTH (ft.) 26	TECHNICIAN DF	
	COMPLETION DEPTH (ft.) 89	REGION Arnak (L-30)	Page 1 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ● SPT RESISTANCE ▲ 10 20 30 40 50 60 70 COMP. STRENGTH T.S.F ■ 1 2 3													
				32	CLAY - silty, brown-grey		NOT FROZEN										
				34													
36																	
38																	
40																	
42	- stiff, grey, layered	X															
44																	
46																	
48																	
50																	
52	SAND - fine to medium trace of silt grey-brown																
54																	
56																	
58																	
60																	

ICE THICKNESS (ft.) 5	DATE DRILLED 5/3/75
WATER DEPTH (ft.) 26	TECHNICIAN DF
COMPLETION DEPTH (ft.) 89	REGION Arnak (L-30)

HOLE N ^o	L-30-12
Page 2 of 3	

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●														
				SPT RESISTANCE ▲														
				10	20	30	40	50	60	70	COMP. STRENGTH T.S.F. ■							
				1			2			3								
62	SAND - same - some layers of grey silt, fine to medium, yellow-brown																	
64																		
66																		
68																		
70																		
72																		
74	SILT - grey																	
76	SAND - fine to medium, as above																	
78																		
80	- trace of silt																	
82																		
84																		
86																		
88																		
90	END OF HOLE																	

	ICE THICKNESS (ft.)	5	DATE DRILLED	5/3/75	HOLE N ^o L-30-12
	WATER DEPTH (ft.)	26	TECHNICIAN	DF	
		COMPLETION DEPTH (ft.)	89	REGION	Arnak (L-30)

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●								
				SPT RESISTANCE ▲								
				10	20	30	40	50	60	70		
				COMP. STRENGTH			T.S.F. ■					
				1	2	3						
2	ICE											
4												
6	WATER											
8												
10												
12												
14												
16												
18												
20												
22												
24												
26												
28												
30				CLAY - silty moist, brown-grey								

	ICE THICKNESS (ft.)	5	DATE DRILLED	6/3/75	HOLE N ^o
	WATER DEPTH (ft.)	28	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	81	REGION	Arnak (L-30)	Page 1 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ● SPT RESISTANCE ▲ 10 20 30 40 50 60 70 COMP. STRENGTH T.S.F ■ 123																			
				32	CLAY - silty	X	NOT FROZEN																
				34																			
36																							
38																							
40																							
42	- grey , moist, firm																						
44																							
46																							
48																							
50	- same, with a trace of <i>silt</i> clay																						
52																							
54	SILT - grey brown, trace of gravel, some sand																						
56																							
58	SAND - fine, trace of gravel																						
60																							

	ICE THICKNESS (ft.)	5	DATE DRILLED	6/3/75	HOLE N° L-30-14
	WATER DEPTH (ft.)	28	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	81	REGION	Arnak (L-30)	

Page 2 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●													
				SPT RESISTANCE ▲													
				10 20 30 40 50 60 70													
				COMP. STRENGTH T.S.F. ■													
				1 2 3													
62	SAND - as above		NOT FROZEN														
64																	
66	- fine to medium brown, trace of silt																
68																	
70																	
72																	
74																	
76																	
78	- fine																
80																	
82	END OF HOLE																
84																	
86																	
88																	
90																	

	ICE THICKNESS (ft.)	5	DATE DRILLED	6/3/75	HOLE № L-30-14 Page 3 of 3
	WATER DEPTH (ft.)	28	TECHNICIAN DF		
	COMPLETION DEPTH (ft.)	81	REGION Arnak (L-30)		

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10	20	30	40	50	60	70	COMP. STRENGTH T.S.F. ■		
2	ICE												
4													
6													
8													
10													
12	WATER												
14													
16													
18													
20													
22													
24													
26													
28	CLAY												
30	- trace fine sand near top - brownish grey - moist - silty, low plastic												

	ICE THICKNESS (ft.)	5	DATE DRILLED	7/3/75	HOLE N ^o
	WATER DEPTH (ft.)	27	TECHNICIAN	DF	
	COMPLETION DEPTH (ft.)	89	REGION	Arnak (L-30)	Page 1 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH T.S.F. ■							
				1	2	3					
	CLAY										
	same as above										
32											
34											
36											
38											
40			NOT								
42			FROZEN								
44		X		▲	●						
46											
48											
50		X									
52	- organics - sandy			●	●						
54											
56											
58											
60	SAND - fine grained - silty -wet to moist - organics near top-grey brown	X		▲	●						

	ICE THICKNESS (ft.) 5	DATE DRILLED 7/3/75	HOLE N ^o L30 IV-3
	WATER DEPTH (ft.) 27	TECHNICIAN DF	
	COMPLETION DEPTH (ft.) 89	REGION Arnak (L-30)	Page 2 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10 20 30 40 50 60 70									
				COMP. STRENGTH T.S.F ■									
				1 2 3									
	SAND												
62	- same as above												
64													
66	CLAY												
68	- silty												
	- moist												
	- brown												
	- low to medium plastic												
70													
	SAND - SILT												
72	- interbedded												
74	SAND												
	- fine grained												
	- trace of silt												
	- yellow brown												
	- wet to moist												
76													
78													
80													
82													
84													
86													
88													
90	SAND SLOUGHED UP DRILL STEM												

	ICE THICKNESS (ft.)	5	DATE DRILLED	7/3/75	HOLE N°
	WATER DEPTH (ft.)	27	TECHNICIAN	DF	L-30 IV-3
	COMPLETION DEPTH (ft.)	89	REGION	Arnak (L-30)	Page 3 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH T.S.F. ■							
				1	2	3					
2	ICE										
4											
6											
8											
10											
12											
14											
16	WATER										
18											
20											
22											
24											
26											
28											
30											

	ICE THICKNESS (ft.)	5	DATE DRILLED	21/3/75	HOLE N ^o B-15-1
	WATER DEPTH (ft.)	36 1/2	TECHNICIAN	JH	
	COMPLETION DEPTH (ft.)	117	REGION	Isserk B-15	Page 1 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●			SPT RESISTANCE ▲			
				10	20	30	40	50	60	70
				COMP. STRENGTH T.S.F. ■			Pocket Penetrometer □			
				1	2	3				
32	WATER									
34										
36										
38	CLAY - dark grey brown, silty - fine black laminations of organics - very stiff, medium plastic - inclusions of organics - trace of shells, very stiff to stiff, low plastic - trace of fine sand - stiff - very stiff - trace fine sand inclusions - firm - low plastic		UNFROZEN							
40										
42										
44										
46										
48										
50										
52										
54										
56										
58										
60										



ICE THICKNESS (ft.) 5

WATER DEPTH (ft.) 36 1/2

COMPLETION DEPTH (ft.) 117

DATE DRILLED 21/3/75

TECHNICIAN JH

REGION Isserk B-15

HOLE No B-15-1

Page 2 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●		SPT RESISTANCE ▲		10 20 30 40 50 60 70					
				COMP. STRENGTH T.S.F. ■		Pocket Penetrometer □							
62	CLAY - as above												
64	- trace of shells - some black organic inclusions												
66	- stiff												
68	SAND												
70	- fine grained - some silt layers - trace of organic laminations and inclusions												
72	- brown												
74	SILT AND SAND												
76													
78	SAND AND SILT												
80													
82	SAND - trace to some silt - trace of organics - fine, med. brown												
84													
86													
88													
90													



ICE THICKNESS (ft.) 5
 WATER DEPTH (ft.) 36 1/2
 COMPLETION DEPTH (ft.) 117

DATE DRILLED 21/3/75
 TECHNICIAN JH
 REGION Isserk B-15

HOLE N°
 B-15-1
 Page 3 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																		
				SPT RESISTANCE ▲																		
				10 20 30 40 50 60 70																		
				COMP. STRENGTH T.S.F. ■																		
				1 2 3																		
92	SAND - medium brown - trace of organics - some silt, possibly silt layers		UNFROZEN																			
94																						
96																						
98																						
100																						
102		X																				
104																						
106																						
108																						
110	- medium dark brown - medium to fine grained - trace silt and organics																					
112																						
114																						
116																						
118																						
120	- sand and silt.																					
118	END OF HOLE																					
120																						

	ICE THICKNESS (ft.)	5	DATE DRILLED	21/3/75	HOLE No
	WATER DEPTH (ft.)	36 1/2	TECHNICIAN	JH	B-15-1
	COMPLETION DEPTH (ft.)	117	REGION	Isserk B-15	Page 4 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																
				SPT RESISTANCE ▲																
				10 20 30 40 50 60 70																
				COMP. STRENGTH T.S.F. ■																
				1			2			3										
2	ICE																			
4																				
6																				
8																				
10																				
12	WATER																			
14																				
16																				
18																				
20																				
22																				
24																				
26																				
28																				
30																				

	ICE THICKNESS (ft.)	5	DATE DRILLED	22/3/75	HOLE N ^o 815-2
	WATER DEPTH (ft.)	37½	TECHNICIAN	JH	
	COMPLETION DEPTH (ft.)	110½	REGION	Isserk B-15	
					Page 1 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																		
				SPT RESISTANCE ▲																		
				10 20 30 40 50 60 70																		
				COMP. STRENGTH T.S.F. ■																		
				Pocket Penetrometer □																		
32	WATER																					
34																						
36																						
38	CLAY - dark grey brown, silty, trace shells and organics - trace of very fine sand - soft - firm - trace black organic inclusions - medium plastic		Unfrozen																			
40																						
42																						
44																						
46																						
48																						
50																						
52																						
54																						
56																						
58																						
60																						



ICE THICKNESS (ft.) 5
 WATER DEPTH (ft.) 37 1/2
 COMPLETION DEPTH (ft.) 110 1/2

DATE DRILLED 22/3/75
 TECHNICIAN JH
 REGION Isserk B-15

HOLE N°
 B15-2
 Page 2 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●															
				SPT RESISTANCE ▲															
				10	20	30	40	50	60	70									
				COMP. STRENGTH T.S.F. □			Pocket Penetrometer												
	- as above																		
62	SAND - black organics silty, trace clay		Unfrozen																
64																			
66																			
68																			
70																			
72																			
74																			
76																			
78	- medium grey brown - fine grained, trace silt		Possibly Frozen NBN																
80																			
82																			
84																			
86																			
88																			
90																			

	ICE THICKNESS (ft.)	5	DATE DRILLED	22/3/75	HOLE № B15-2
	WATER DEPTH (ft.)	37 1/2	TECHNICIAN	JH	
	COMPLETION DEPTH (ft.)	110 1/2	REGION	Isserk B-15	

Page 3 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●										SPT RESISTANCE ▲									
				10 20 30 40 50 60 70										10 20 30 40 50 60 70									
				COMP. STRENGTH T.S.F. ■																			
				1 2 3																			
92	SAND - brown grey, trace silt, trace shells	X	Possibly Frozen NBN																				
94																							
96																							
98																							
100																							
102																							
104																							
106																							
108																							
110		X																					
112	END OF HOLE																						
114																							
116																							
118																							
120																							

	ICE THICKNESS (ft.)	5	DATE DRILLED	22/3/75	HOLE N° B15-2 Page 4 of 4
	WATER DEPTH (ft.)	37 1/2	TECHNICIAN	JH	
	COMPLETION DEPTH (ft.)	110 1/2	REGION	Isserk B-15	

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH T.S.F. ■							
				1	2	3					
2	ICE										
4											
6											
8											
10											
12	WATER										
14											
16											
18											
20											
22											
24											
26											
28											
30											

	ICE THICKNESS (ft.)	4 1/2	DATE DRILLED	23/3/75	HOLE N ^o
	WATER DEPTH (ft.)	35 1/2	TECHNICIAN	JH	
	COMPLETION DEPTH (ft.)	70 1/2	REGION	Isserk B-15	Page 1 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●			SPT RESISTANCE ▲			10 20 30 40 50 60 70			COMP. STRENGTH T.S.F. ■			
32	WATER															
34																
36	NO SAMPLE															
38	CLAY - dark grey brown - silty, trace of fine sand lenses, stiff, trace black organics - low to medium plastic - very stiff to stiff	X														
40																
42		X														
44																
46		X														
48																
50																
52																
54	- same as above, trace of sand - fine grained	X														
56																
58																
60																

	ICE THICKNESS (ft.)	4 1/2	DATE DRILLED	23/3/75	HOLE N ^o
	WATER DEPTH (ft.)	35 1/2	TECHNICIAN	JH	B15-3
	COMPLETION DEPTH (ft.)	70 1/2	REGION	Isserk B-15	Page 2 of 3



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●											
				SPT RESISTANCE ▲											
				10	20	30	40	50	60	70	COMP. STRENGTH T.S.F ■				
										1	2	3			
62	SAND and SILT - dark grey brown - black organic inclusions - trace clay, fine grained	⊗													
64															
66	SAND - dark brown, trace of silt.														
68	- trace of organics														
70	- trace of silt - fine grained - 1" black organic silt, trace clay	⊗													
72	END OF HOLE														
74															
76															
78															
80															
82															
84															
86															
88															
90															

	ICE THICKNESS (ft.)	4 1/2	DATE DRILLED	23/3/75	HOLE N ^o
	WATER DEPTH (ft.)	35 1/2	TECHNICIAN	JH	
		COMPLETION DEPTH (ft.)	70 1/2	REGION	Isserk B-15

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH			T.S.F. ■				
				1	2	3					
2	ICE										
4											
6											
8											
10											
12	WATER										
14											
16											
18											
20											
22											
24											
26											
28											
30											

	ICE THICKNESS (ft.) 5 1/2	DATE DRILLED 24/3/75	HOLE N°
	WATER DEPTH (ft.) 37 1/2	TECHNICIAN JH	B-15-12
	COMPLETION DEPTH (ft.) 10 1/2	REGION Isserk B-15	Page 1 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH T.S.F. ●							
				1	2	3					
32	WATER										
34											
36											
38	CLAY - dark grey brown, silty, trace black organics, firm, trace of shells, medium plastic - trace fine sand lenses - stiff, low plastic - firm to stiff										
40											
42											
44											
46											
48											
50											
52											
54											
56											
58											
60											

	ICE THICKNESS (ft.) 5 1/2	DATE DRILLED 24/3/75	HOLE № B-15-12 Page 2 of 4
	WATER DEPTH (ft.) 37 1/2	TECHNICIAN JH	
	COMPLETION DEPTH (ft.) 110 1/2	REGION Isserk B-15	



ICE THICKNESS (ft.) 5 1/2

DATE DRILLED 24/3/75

HOLE N^o

WATER DEPTH (ft.) 37 1/2

TECHNICIAN JH

B-15-12

COMPLETION DEPTH (ft.) 110 1/2

REGION Isserk B-15

Page 2 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●										SPT RESISTANCE ▲	COMP. STRENGTH T.S.F. ■		
				10 20 30 40 50 60 70													
				1 2 3													
62	CLAY - as above	⊗															
64																	
66	- trace to some sand																
68																	
70	SAND - dark grey brown - trace silt - gravel in upper 8'																
72																	
74	- medium grey brown, fine grained																
76	- trace of organics, trace pebbles																
78	- very loose, LOST SAMPLE	⊗															
80																	
82																	
84																	
86																	
88																	
90																	

	ICE THICKNESS (ft.)	5 1/2	DATE DRILLED	24/3/75	HOLE № B-15-12 Page 3 of 4
	WATER DEPTH (ft.)	37 1/2	TECHNICIAN	JH	
	COMPLETION DEPTH (ft.)	110 1/2	REGION	Isserk B-15	



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ● SPT RESISTANCE ▲ 10 20 30 40 50 60 70 COMP. STRENGTH T.S.F ■ 1 2 3											
92	SAND - medium brown, fine grained, trace of silt and organics	X													
94															
96															
98															
100															
102															
104															
106															
108															
110															
110	4" of silt near bottom	X													
112	END OF HOLE														
114															
116															
118															
120															

	ICE THICKNESS (ft.)	5 1/2	DATE DRILLED	24/3/75	HOLE N ^o
	WATER DEPTH (ft.)	37 1/2	TECHNICIAN	JH	B15-12
	COMPLETION DEPTH (ft.)	110 1/2	REGION	Isserk B-15	Page 4 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT %							
				SPT RESISTANCE							
				10	20	30	40	50	60	70	
				COMP. STRENGTH			T.S.F.				
				1	2	3					
2	ICE										
4											
6	WATER										
8											
10											
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											

	ICE THICKNESS (ft.)	5	DATE DRILLED	23/3/75	HOLE N ^o
	WATER DEPTH (ft.)	37 1/2	TECHNICIAN	JH	
	COMPLETION DEPTH (ft.)	70 1/2	REGION	Isserk B-15	Page 1 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10 20 30 40 50 60 70									
				COMP. STRENGTH T.S.F ■									
				1 2 3									
32	WATER												
34													
36													
38	CLAY - dark grey brown, silty trace of organics, slight trace of fine sand, low plastic												
40													
42													
44													
46			X										
48													
50													
52													
54			X										
56													
58													
60													

	ICE THICKNESS (ft.) 5	DATE DRILLED 23/3/75	HOLE N ^o
	WATER DEPTH (ft.) 37 1/2	TECHNICIAN JH	B15-13
	COMPLETION DEPTH (ft.) 70 1/2	REGION Isserk B-15	Page 2 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●			SPT RESISTANCE ▲			COMP. STRENGTH T.S.F. ■		
				10 20 30 40 50 60 70			1 2 3					
62	CLAY - as above medium plastic	⊗										
64												
66												
68												
70	SILT - sandy - dark grey, trace clay and organics, fine grained	⊗										
72	END OF HOLE											
74												
76												
78												
80												
82												
84												
86												
88												
90												
ICE THICKNESS (ft.) 5				DATE DRILLED 23/3/75				HOLE N ^o				
WATER DEPTH (ft.) 37 1/2				TECHNICIAN JH				B15-13				
COMPLETION DEPTH (ft.) 70 1/2				REGION Isserk B-15				Page 3 of 3				



965.2

V. 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH T.S.F. ■							
				1	2	3					
2	ICE										
4											
6											
8	WATER										
10											
12											
14											
16											
18	SILT - dark grey, trace of clay - firm		UNFROZEN								
20											
22											
24											
26											
28											
30											

	ICE THICKNESS (ft.)	6	DATE DRILLED	1/4/75	HOLE N° HI-11
	WATER DEPTH (ft.)	16 1/2	TECHNICIAN	TH	
	COMPLETION DEPTH (ft.)	97	REGION	Hooper Island	Page 1 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ● SPT RESISTANCE ▲ 10 20 30 40 50 60 70 COMP. STRENGTH T.S.F. ■ 1 2 3											
32	SILT - as above, slightly sandier		UNFROZEN												
34															
36															
38	SAND and GRAVEL - some silt														
40															
42															
42	SILT and SAND - dark grey - firm														
44															
46															
48															
50															
52															
50	SAND - fine grained, uniform - loose, medium dark brown, trace silt														
52															
54															
56															
58															
60															
58	- dense	X													

ICE THICKNESS (ft.) 6	DATE DRILLED 1/4/75
WATER DEPTH (ft.) 16 1/2	TECHNICIAN TH
COMPLETION DEPTH (ft.) 97	REGION Hooper Island

HOLE N^o
HII-11

Page 2 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●														
				SPT RESISTANCE ▲														
				10 20 30 40 50 60 70														
				COMP. STRENGTH T.S.F. ■														
				1 2 3														
62	SAND - as above, trace of silt		UNFROZEN															
64																		
66																		
68																		
70																		
72																		
74																		
76																		
78																		
80																		
82																		
84																		
86																		
88																		
90																		

	ICE THICKNESS (ft.)	6	DATE DRILLED	1/4/75	HOLE N ^o
	WATER DEPTH (ft.)	16 1/2	TECHNICIAN	TH	HI-11
	COMPLETION DEPTH (ft.)	97	REGION	Hooper Island	Page 3 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ● SPT RESISTANCE ▲ 10 20 30 40 50 60 70 COMP. STRENGTH T.S.F. ■ 1 2 3																							
92	SAND - as above		UNFROZEN																								
94																											
96																											
98	END OF HOLE																										

	ICE THICKNESS (ft.) 6	DATE DRILLED 1/4/75	HOLE N ^o
	WATER DEPTH (ft.) 16 1/2	TECHNICIAN TH	HI-11
	COMPLETION DEPTH (ft.) 97	REGION Hooper Island	Page 4 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●						
				SPT RESISTANCE ▲						
				10	20	30	40	50	60	70
				COMP. STRENGTH T.S.F. ■		POCKET PENETROMETER □				
				2		3				
2	ICE									
4										
6										
8	WATER									
10										
12										
14										
16	CLAY - silty, dark grey, firm-stiff		NOT FROZEN							
18										
20										
22										
24	SILT - clayey, firm, dark grey									
26										
28										
30										

	ICE THICKNESS (ft.) 6	DATE DRILLED 2/4/75	HOLE N ^o P-3
	WATER DEPTH (ft.) 15 1/2	TECHNICIAN TH	
	COMPLETION DEPTH (ft.) 73	REGION Pelly Island	Page 1 of 3

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							SPT RESISTANCE ▲						
				10 20 30 40 50 60 70							10 20 30 40 50 60 70						
				COMP. STRENGTH T.S.F. ■							POCKET PENETROMETER □						
32	SILT - as above		NOT FROZEN														
34																	
36	- stiff																
38																	
40																	
42	- dark grey-black, trace of organics																
44																	
46	- dark grey, hard																
48																	
50	- trace of clay, hard																
52			FROZEN														
54	SAND - silty, fine, uniform, dark grey																
56																	
58	- no recovery from 57 to 69 Feet																
60																	



ICE THICKNESS (ft.) 6
WATER DEPTH (ft.) 15 1/2
COMPLETION DEPTH (ft.) 73

DATE DRILLED 2/4/75
TECHNICIAN TH
REGION Pelly Island

HOLE N°
P-3
Page 2 of 3

BEAUFORT SEA DRILLING PROGRAM - 1975

[illegible]

965.2

V.4.

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							
				SPT RESISTANCE ▲							
				10	20	30	40	50	60	70	
				COMP. STRENGTH T.S.F. ■							
				1	2	3					
2	ICE										
4											
6											
8	WATER										
10											
12											
14											
16											
18											
20											
22											
24											
26											
28											
30											

	ICE THICKNESS (ft.)	6	DATE DRILLED	6/4/75	HOLE N ^o H-56-1
	WATER DEPTH (ft.)	39	TECHNICIAN	TH	
	COMPLETION DEPTH (ft.)		98 1/2	REGION	

Page 1 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●															
				SPT RESISTANCE ▲															
				10 20 30 40 50 60 70															
				COMP. STRENGTH T.S.F. ■															
				POCKET PENETROMETER □															
				1 2 3															
32	WATER																		
34																			
36																			
38																			
40	SILT-CLAY - trace of organics, - very stiff, moist, dark grey																		
42																			
44																			
46	SILT-CLAY (TILL) - trace fine gravel, hard, damp, some sand - low plastic		NOT FROZEN																
48																			
50																			
52																			
54	- as above, very stiff																		
56																			
58	SILT-CLAY - clayey, trace fine gravel, very stiff moist, dark brown, some sand, low plastic																		
60																			



ICE THICKNESS (ft.) 6	DATE DRILLED 6/4/75
WATER DEPTH (ft.) 39	TECHNICIAN TH
COMPLETION DEPTH (ft.) 8 1/2	REGION Issigak

HOLE N ^o H-56-1
Page 2 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●			SPT RESISTANCE ▲			
				10	20	30	40	50	60	70
				COMP. STRENGTH T.S.F. ■			POCKET PENETROMETER □			
				1	2	3				
62	- as above, stiff									
64			NOT FROZEN							
66	CLAY-SILT	⊗								
	- no gravel									
68	- trace of sand									
	- medium plastic									
70										
72										
74	CLAY-SILT	■								
	- salts, stiff, moist									
76	- medium grey									
78										
	- medium plastic									
80										
82		⊗								
84										
	- very stiff, moist									
86										
88	SILT									
	- sandy, trace of clay,									
90	very stiff, wet									
				ICE THICKNESS (ft.) 6		DATE DRILLED 6/4/75		HOLE №		
				WATER DEPTH (ft.) 39		TECHNICIAN TH		H-56-1		
				COMPLETION DEPTH (ft.) 98 1/2		REGION Issigak		Page 3 of 4		



DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT %		SPT RESISTANCE		COMP. STRENGTH T.S.F.				
				10	20	30	40	50	60	70		
92	SILT - as above		NOT FROZEN									
94												
96												
98	- trace of clay, moist to wet, hard	X										
100	END OF HOLE											

ICE THICKNESS (ft.) 6

WATER DEPTH (ft.) 39

COMPLETION DEPTH (ft.) 98 1/2

DATE DRILLED 6/4/75

TECHNICIAN TH

REGION Issigak

HOLE N^o

H-56-1

Page 4 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●														
				SPT RESISTANCE ▲														
				10 20 30 40 50 60 70														
				COMP. STRENGTH T.S.F. ■														
				1 2 3														
2	ICE																	
4																		
6	WATER																	
8																		
10																		
12																		
14																		
16																		
18																		
20																		
22																		
24																		
26																		
28																		
30																		
ICE THICKNESS (ft.) 5 1/2 WATER DEPTH (ft.) 40 COMPLETION DEPTH (ft.) 1 1/2 DATE DRILLED 5/4/75 TECHNICIAN TH REGION Issiqak HOLE N° H-56-2				Page 1 of 4														

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●							SPT RESISTANCE ▲						
				10	20	30	40	50	60	70	10	20	30	40	50	60	70
				COMP. STRENGTH T.S.F. □			POCKET PENETROMETER □				1			2			
32																	
34	WATER																
36																	
38																	
40	SILT-CLAY																
42	trace of organics dark grey to black firm, moist		NOT FROZEN														
44																	
46	-some clay to clayey																
48																	
50	SILT-CLAY - some fine gravel (TILL) trace of fine sand,																
52	- very stiff damp to moist																
54	- low plastic - thin sand lens at 54 1/2 Feet																
56	SILT-CLAY																
58	- trace of sand - very stiff - low plastic																
60																	



ICE THICKNESS (ft.) 5 1/2

WATER DEPTH (ft.) 40

COMPLETION DEPTH (ft.) 114 1/2

DATE DRILLED 5/4/75

TECHNICIAN TH

REGION Issigak

HOLE N^o

H-56-2

Page 2 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●			SPT RESISTANCE ▲		
				10 20 30 40 50 60 70			10 20 30 40 50 60 70		
				COMP. STRENGTH T.S.F. ■			POCKET PENETROMETER □		
62	SILT-CLAY - as above		NOT FROZEN						
64									
66									
68	- as above, very stiff - low plastic								
70									
72									
74									
76									
78	CLAY-SILT - very stiff medium grey, moist fissured and salt stained, - medium plastic								
80									
82									
84	SILT - medium grey, moist - medium plastic - some clay								
86									
88									
90									
ICE THICKNESS (ft.) 5 1/2				DATE DRILLED 5/4/75				HOLE N ^o	
WATER DEPTH (ft.) 40				TECHNICIAN TH				H-56-2	
COMPLETION DEPTH (ft.) 114 1/2				REGION Issigak				Page 3 of 4	



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ● SPT RESISTANCE ▲ 10 20 30 40 50 60 70 COMP. STRENGTH T.S.F. ■ POCKET PENETROMETER □ 1 2 3												
				92	SILT - some clay medium to dark grey firm, wet, trace of salts, fissured - trace fine sand dark grey, wet very stiff - as above, trace of clay	NOT FROZEN										
				94												
96																
98																
100																
102																
104																
106																
108																
110																
112																
114																
116	END OF HOLE															

	ICE THICKNESS (ft.) 5 1/2	DATE DRILLED 5/4/75	HOLE N ^o
	WATER DEPTH (ft.) 40	TECHNICIAN TH	H-56-2
	COMPLETION DEPTH (ft.) 114 1/2	REGION Issigak	Page 4 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●										
				SPT RESISTANCE ▲										
				10 20 30 40 50 60 70										
				COMP. STRENGTH T.S.F. ■										
				1 2 3										
2	ICE													
4														
6														
8														
10														
12														
14														
16	WATER													
18														
20														
22														
24														
26														
28														
30														

	ICE THICKNESS (ft.) 6	DATE DRILLED 4/4/75	HOLE N ^o H-56-3
	WATER DEPTH (ft.) 40	TECHNICIAN TH	
	COMPLETION DEPTH (ft.) 97	REGION Issigak	Page 1 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●														
				SPT RESISTANCE ▲														
				10 20 30 40 50 60 70														
				COMP. STRENGTH T.S.F. ■														
				POCKET PENETROMETER □														
				1 2 3														
32	WATER																	
34																		
36																		
38																		
40																		
42	- no recovery, casing dropped under own weight - assumed to be very soft - silt-clay		NOT FROZEN															
44																		
46																		
48																		
50																		
52	SILT-CLAY (TILL) - some fine gravel trace of sand, stiff, moist - low plastic																	
54																		
56																		
58	SILT-CLAY - trace of sand, stiff, moist - some pebbles																	
60																		



ICE THICKNESS (ft.) 6	DATE DRILLED 4/4/75
WATER DEPTH (ft.) 40	TECHNICIAN TH
COMPLETION DEPTH (ft.) 97	REGION Issigak

HOLE N°
H-56-3
Page 2 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT %							SPT RESISTANCE			10 20 30 40 50 60 70				
				COMP. STRENGTH T.S.F.							POCKET PENETROMETER							
				1 2 3							1 2 3							
62	SILT-CLAY - as above		NOT FROZEN															
64																		
66	- low plastic																	
68																		
70	- firm - stiff																	
72																		
74																		
76																		
78	- gravel to 1/2 inch (ice rafted?)																	
80	- some sand																	
82																		
84																		
86																		
88	CLAY																	
90	- silty - low plastic																	



ICE THICKNESS (ft.) 6

WATER DEPTH (ft.) 40

COMPLETION DEPTH (ft.) 97

DATE DRILLED 4/4/75

TECHNICIAN TH

REGION Issiqak

HOLE No

H-56-3

Page 3 of 4



IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

[illegible]

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●															
				SPT RESISTANCE ▲															
				10	20	30	40	50	60	70	COMP. STRENGTH T.S.F. ■								
				1	2	3													
2	ICE																		
4																			
6																			
8	WATER																		
10																			
12	SILT - trace of fine sand, soft, wet dark grey		NOT FROZEN																
14																			
16																			
18																			
20																			
22																			
24																			
26																			
28																			
30																			

	ICE THICKNESS (ft.) 5 1/2	DATE DRILLED 9/4/75	HOLE N° G-C-3
	WATER DEPTH (ft.) 10 1/2	TECHNICIAN TH	
	COMPLETION DEPTH (ft.) 59	REGION Garry Island	Page 1 of 2

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																		
				SPT RESISTANCE ▲																		
				10 20 30 40 50 60 70																		
				COMP. STRENGTH T.S.F. ■ □																		
				1 2 3																		
				Pocket Pentrometer psf																		
32	SILT - dark grey to black trace of fine sand and clay, some organics, very stiff, moist	NOT FROZEN																				
34																						
36																						
38																						
40	- some fine sand, trace of gravel and clay firm, moist- wet																					
42																						
44																						
46																						
48	SAND - gravelly, medium grey, 3/4" maximum, wet, trace of silt																					
50																						
52																						
54																						
56	- becoming silty																					
58																						
60																						
62																						
64	SAND & SILT - trace of clay, some fine gravel; stiff, moist, some organic inclusions																					
66																						
68																						
70																						
72	END OF HOLE																					
74																						
76																						
78																						



ICE THICKNESS (ft.) 5 1/2	DATE DRILLED 9/4/75
WATER DEPTH (ft.) 10 1/2	TECHNICIAN TH
COMPLETION DEPTH (ft.) 59	REGION Garry Island

HOLE N°	G-C-3
Page 2 of 2	

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●																
				SPT RESISTANCE ▲																
				10 20 30 40 50 60 70																
				COMP. STRENGTH T.S.F. ■																
				1 2 3																
32	SILT - as above		UNFROZEN																	
34	- sand laminae, moist, laminated, firm	X																		
36																				
38																				
40																				
42	- non plastic	■																		
44																				
46																				
48																				
50	- very stiff	X																		
52																				
54																				
56																				
58		■																		
60																				

	ICE THICKNESS (ft.) 4	DATE DRILLED 16/4/75	HOLE N ^o
	WATER DEPTH (ft.) 5 1/2	TECHNICIAN EF	C-56-1
	COMPLETION DEPTH (ft.) 106 1/2	REGION Olivier Islands	Page 2 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●													
				SPT RESISTANCE ▲													
				10	20	30	40	50	60	70	COMP. STRENGTH T.S.F ■						
				1		2		3									
62	SILT - as above - stiff, some clay		UNFROZEN														
64																	
66																	
68																	
70																	
72																	
74																	
76																	
78																	
80																	
82	CLAY - dark grey, silty, low plastic, stiff		UNFROZEN														
84																	
86																	
88																	
90																	

	ICE THICKNESS (ft.)	4	DATE DRILLED	16/4/75	HOLE N ^o C-56-1
	WATER DEPTH (ft.)	5 1/2	TECHNICIAN	EF	
	COMPLETION DEPTH (ft.)	106 1/2	REGION	Olivier Islands	

Page 3 of 4



ICE THICKNESS (ft.) 4

DATE DRILLED 16/4/75

HOLE N°

WATER DEPTH (ft.) 5 1/2

TECHNICIAN EF

C-56-1

COMPLETION DEPTH (ft.) 106 1/2

REGION Olivier Islands

Page 3 of 4

BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●			SPT RESISTANCE ▲			10 20 30 40 50 60 70			COMP. STRENGTH T.S.F ■		
				1	2	3	1	2	3	1	2	3	1	2	3
92	CLAY - as above - very stiff	X	UNFROZEN												
94															
96															
98															
100															
102															
104															
106															
108	END OF HOLE														

ICE THICKNESS (ft.) 4

WATER DEPTH (ft.) 5 1/2

COMPLETION DEPTH (ft.) 106 1/2

DATE DRILLED 16/4/75

TECHNICIAN EF

REGION Olivier Islands

HOLE N°

C-56-1

Page 4 of 4

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10	20	30	40	50	60	70			
				COMP. STRENGTH T.S.F. ■		POCKET PENETROMETER □							
2	ICE		NOT FROZEN										
4													
6													
8	WATER												
10													
12													
14				SILT (FILL) - some sandy gravel fine, 1 1/2" maximum dark grey - gravelly, 3/4" maximum									
16													
18													
20													
22													
24													
26					SEABED								
28	SILT - firm, dark grey												
30													

	ICE THICKNESS (ft.) 5 1/2	DATE DRILLED 3/4/75	HOLE N° F-40-1
	WATER DEPTH (ft.) 12	TECHNICIAN TH	
	COMPLETION DEPTH (ft.) 33	REGION Netserk N.	Page 1 of 2

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

[illegible]

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●									
				SPT RESISTANCE ▲									
				10	20	30	40	50	60	70			
				COMP. STRENGTH T.S.F. ■									
				POCKET PENETROMETER □									
2	ICE												
4													
6													
8	WATER												
10													
12	SILT - some gravel, 1/2" maximum (FILL)												
14	trace of fine sand, fine												
16													
18	- trace of gravel and fine sand		NOT FROZEN										
20													
22	- gravelly, some fine sand, dark brown												
24													
26	SEA BED												
28	SILT - firm dark grey												
30													

	ICE THICKNESS (ft.) 5 1/2	DATE DRILLED 3/4/75	HOLE N ^o F-40-2
	WATER DEPTH (ft.) 11	TECHNICIAN TH	
	COMPLETION DEPTH (ft.) 33	REGION Netserk N.	Page 1 of 2

[illegible]

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

DEPTH (feet)	SOIL DESCRIPTION	SAMPLE	GROUND ICE CONDITION	MOISTURE CONTENT % ●												
				SPT RESISTANCE ▲												
				10 20 30 40 50 60 70												
				COMP. STRENGTH T.S.F. ■												
				1 2 3												
2	ICE															
4																
6																
8	WATER															
10																
12																
14	SILT - sandy, some gravel, (FILL) dark grey		NOT FROZEN													
16																
18																
20	GRAVEL (FILL) sandy, silty, fine uniform															
22																
24																
26	SEA BED	X														
28	SILT - some shells and organics, firm to stiff dark grey															
30																

	ICE THICKNESS (ft.)	5 1/2	DATE DRILLED	3/4/75	HOLE N ^o F-40-3
	WATER DEPTH (ft.)	14	TECHNICIAN	TH	
	COMPLETION DEPTH (ft.)	33	REGION	Netserk N.	Page 1 of 2

IMPERIAL OIL LIMITED
BEAUFORT SEA DRILLING PROGRAM - 1975

[illegible]